

Agenda Item 4.3

Reports

National Reports of ASCOBANS Parties

National Report 4

2016 – 2019 National Report:

Denmark

Action Requested

Take note

Submitted by

Denmark



Note:

Delegates are kindly reminded to bring their own document copies to the meeting, if needed.

ASCOBANS National Reporting Form

1 January 2016 – 31 December 2019

As outlined in [ASCOBANS Resolution 8.1](#) on National Reporting, this form will cover the years 2016, 2017, 2018 and 2019, and all Sections of the Annex to the Resolution:

- Section I: General Information
- Section II: Habitat Conservation and Management (threats and pressures on cetaceans)
- Section III: Surveys and Research
- Section IV: Use of Bycatches and Strandings
- Section V: Legislation
- Section VI: Information and Education
- Section VII: Other Matters

The national reports submitted will inform discussions at the 9th Meeting of the Parties to ASCOBANS (8-10 September 2020).

- All questions apply to the reporting period 2016-2019.
- Region in the tables refers to the sub-regions as defined by the HELCOM and OSPAR, and Areas refers to the sub-areas as defined by ICES. An overview and maps of these can be found in Annex A. Species can be chosen from the drop-down list provided, based on ASCOBANS species list, see Annex B.
- Throughout the form, please include relevant web links and add rows where applicable.

Where possible, National Coordinators should consult with, or delegate to, experts for particular topics so as to ease the reporting burden. The Secretariat has provided a list of potential country contacts as a starting point. Once the baseline information is in place, it should become easier to update in the future.

For any questions, please do not hesitate to contact the Secretariat.

High-level Summary of Key Messages

In your country, for the reporting period from 2016 to 2019, what does this report reveal about:

1. The most successful aspects of implementation of the Agreement?

Monitoring for harbour porpoise presence in the waters around Bornholm 2018-2019.

2. The greatest challenges in implementing the Agreement?

The lack of sufficient information on bycatch covering both the Baltic and the Belt Sea population makes it impossible to assess the treat level and decide on mitigations.

3. The main priorities for future implementation of the Agreement? (list up to five items)

Funding for participation in SAMBAH-II

Section I: General Information

A. Country Information

1. Name of Party / Non-Party Range State: Denmark

2. Details of the Report Compiler

Name: Signe Sveegaard
Function: Senior Researcher
Organization: Aarhus University
Postal Address: Frederiksborgvej 399
Telephone: +45 28951664
Email: ssv@bios.au.dk
 Does the Report Compiler act as ASCOBANS National Coordinator (i.e. focal point)?
 No Yes

3. Details of contributor(s)

Topic(s) contributed to: Strandings, Blubber thickness
Name: Line Kyhn
Function: Special consultant
Organization: Aarhus University
Postal Address: Frederiksborgvej 399, 4000 Roskilde
Telephone: +45 30183148
Email: lky@bios.au.dk

Copy box if needed.

Topic(s) contributed to: Bycatch, fisheries
Name: Pernille Birkenborg Jensen
Function: Administrative Officer
Organization: Ministry of Environment and Food of Denmark, Fisheries departement
Postal Address: Slotsholmsgade 10, 1216 Copenhagen K
Telephone: +45 22 59 63 49
Email: perdje@mfvm.dk

Topic(s) contributed to: Underwater noise
Name: Jakob Tougaard
Function: Senior Scientist
Organization: Aarhus University
Postal Address: Frederiksborgvej 399, 4000 Roskilde
Telephone: +45 40984585
Email: jat@bios.au.dk

Topic(s) contributed to:
Name: Magnus Wahlberg
Function: Associate Professor
Organization: University of Southern Denmark
Postal Address: Marein Biological Research Center, Hindsholmvej 11, 5300 Kerteminde, Denmark
Telephone: +4522163950
Email: magnus@biology.sdu.dk

Section II: Habitat Conservation and Management (threats and pressures on cetaceans)

A. Fisheries-related Threats

1. Bycatch

AIM: to illustrate progress on understanding, monitoring and mitigating bycatch of small cetaceans.
Relevant Resolutions: 8.5, 8.4, 8.3, 7.3, 7.1, 6.1, 5.8, 5.7, 5.5, 3.3

Bycatch, the entanglement of an animal in fishing gear, is identified as a major cause of mortality in small cetaceans. Every effort should be made to reduce bycatch towards zero as quickly as possible. Parties to ASCOBANS have agreed on a number of resolutions that highlight the importance of mitigating bycatch of small cetaceans in the Agreement Area, as available data indicates that levels of bycatch pose a considerable threat to their conservation status. Parties have agreed that modifications of fishing gear and relevant practices shall be applied in order to reduce negative impacts where data indicates unacceptable interaction. The Agreement Area requires improved monitoring, collation of data, and consideration of appropriate mitigation measures, while also taking into account similar work in other areas.

To better understand the extent of the impact of bycatch on small cetaceans, monitoring and mitigation measures in place, and ongoing work in the Agreement Area, countries are requested to provide relevant information.

Note: This section includes bycatch in recreational fisheries.

Questions:

1.1. How is bycatch assessed/monitored in your country?

Year	Method	Used	Percentage (% by monitoring method, of total bycaught animals, by gear type if applicable)
2016	Dedicated observser schemes	<input type="checkbox"/>	

	Fisheries observes	<input checked="" type="checkbox"/>	
	Remote Electronic Monitoring	<input checked="" type="checkbox"/>	
	Self-reporting by fisherman	<input type="checkbox"/>	
	Pathological investigation	<input type="checkbox"/>	
	Assessment at stranding site	<input type="checkbox"/>	
2017	Dedicated observser schemes	<input type="checkbox"/>	
	Fisheries observes	<input checked="" type="checkbox"/>	
	Remote Electronic Monitoring	<input checked="" type="checkbox"/>	
	Self-reporting by fisherman	<input type="checkbox"/>	
	Pathological investigation	<input type="checkbox"/>	
2018	Dedicated observser schemes	<input type="checkbox"/>	
	Fisheries observes	<input checked="" type="checkbox"/>	
	Remote Electronic Monitoring	<input checked="" type="checkbox"/>	
	Self-reporting by fisherman	<input type="checkbox"/>	
	Pathological investigation	<input type="checkbox"/>	
2019	Dedicated observser schemes	<input type="checkbox"/>	
	Fisheries observes	<input checked="" type="checkbox"/>	
	Remote Electronic Monitoring	<input checked="" type="checkbox"/>	
	Self-reporting by fisherman	<input type="checkbox"/>	
	Pathological investigation	<input type="checkbox"/>	
	Assessment at stranding site	<input type="checkbox"/>	

Comments:

1.2. Which species of small cetaceans were recorded as bycatch by commercial fishing in the reporting period?

Overview of bycaught small cetaceans per region. Provide information where available.

Species	Number of bycaught animals observed	Year (incl. season if available)	Gear type	Area	Overall sampling effort	Monitoring method used
HP Harbour porpoise	51 in total in the period 16-18	2016-18	GNS	27.3		REM
Choose an item.				Choose an item.		

1.3. Which species of small cetaceans were recorded as bycatch by recreational fishing in the reporting period?

Overview of bycaught small cetaceans per region. Provide information where available.

Species	Number of bycaught animals observed	Year (incl. season if available)	Gear type	Area	Overall sampling effort	Monitoring method used
Choose an item.	n.a.			Choose an item.		
Choose an item.	n.a.			Choose an item.		

1.4. Has there been any notable incidents/issues related to bycatch during the reporting period in your country?

No.

Yes. Please provide details:

(mass bycatch incidents, unusual species bycatch etc.)

1.5. Are there any mitigation measures in place?

No.

Yes. Please provide details: What mitigation measures (including alternative gear) are being used and where? (acoustic deterrent devices, seasonal closures, gear modifications etc.)

Mitigation approach	Region	Year implemented	Has the mitigation measure been effective?
Mandatory use of acoustic deterrents in certain net gear fisheries		2004	<input type="checkbox"/> No <input type="checkbox"/> Yes. Comments: unknown
	Choose an item.		<input type="checkbox"/> No <input type="checkbox"/> Yes. Comments:
	Choose an item.		<input type="checkbox"/> No <input type="checkbox"/> Yes. Comments:

1.6. Have there been changes in fishing effort (for fisheries known to have an impact) in the reporting period?

No.

Unknown/not applicable. Comments:

Yes. Please provide details:

1.7. Relevant new research/work/collaboration on bycatch in your country.

Kindt-Larsen, L., Willestofte Berg, C., Tougaard, J., Kirk Sørensen, T., Geitner, K., Northridge, S., Sveegaard, S & Larsen. 2016. Identification of high-risk areas for harbour porpoise (*Phocoena phocoena*) bycatch using data from remote electronic monitoring and satellite telemetry. *Marine Ecology Progress Series*. DOI 10.3354/MEPS11806.

Kindt-Larsen, L., Berg, C. W., Northridge, S., Larsen, F. 2018. Harbor porpoise (*Phocoena phocoena*) reactions to pingers. *Marine Mammal Science*. DOI: 10.1111/mms.12552.

Relevant projects at DTU Aqua:

Project Full Title: Reduction of harbour porpoise bycatch in areas where harbour porpoises are protected (EMFF project, December 2017 – October 2021)

EHFF funded research project on pingers, Lotte Kindt Larsen PI and M Wahlberg co-PI. Drone studies on how porpoises react to pingers, and long-term CPOD deployment with duty cycle pingers of different kinds to estimate the long-term effects of such signals on porpoise behaviour. 2017 to 2020.

1.8. Is the perceived level of pressure from bycatch in your country increasing, decreasing, staying the same or unknown?

To be done per species where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence (e.g. strandings, observer schemes)
HP Harbour porpoise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

A. Fisheries-related Threats

2. Resource Depletion

AIM: to determine areas where, and to what extent, depletion of fish stocks have occurred during the reporting period. In addition; identify ongoing mitigation efforts regarding detrimental implications for small cetaceans.

Relevant Resolutions: 8.9, 8.3, 7.1, 6.1

Depletion in fish stocks due to overfishing and other factors generates pressure on the favourable conservation status of small cetaceans (through possible food shortage). More integrated management and reductions in

fishing effort (also prompted by concern about fish stock depletion or other ecosystem considerations) have been encouraged, especially in areas of known risk. Further research, effective fishery regulations and innovation within certain fishing methods are considered to be helpful steps towards mitigating this pressure.

Parties to ASCOBANS have agreed on a number of resolutions that (1) determine the impact of the depletion of fish stocks on small cetaceans, (2) encourage fishing effort reductions and (3) review new information on these depletions to make recommendations. Resource depletion in the Agreement Area requires improved monitoring, collation of data, and consideration of appropriate mitigation measures, while also taking into account similar work in other areas.

It is of particular interest to ASCOBANS to understand the extent of prey depletions, any related ongoing work, monitoring and mitigation measures in the Agreement Area. Countries are requested to provide relevant information.

Questions:

2.1. Based on the latest stock assessments, are there any notable depletions of fish species which would be a concern for small cetaceans?

- No.**
- Yes.** Please provide details.

Danish commercial fisheries are conducted in line with the Common Fisheries Policy. Quota for different fish species are based on ICES advice, in which natural mortality from predators etc. are incorporated.

2.2. Where are these depletions in national waters occurring?

Sub-areas/regions as defined by ICES/OSPAR & HELCOM.

Area	Region
Choose an item.	Choose an item.
Choose an item.	Choose an item.
Choose an item.	Choose an item.

2.3. What measures are being taken to manage pressures on depleted fish stocks, including relevant regulations/guidelines (current / planned / year of implementation)?

Measure	Timeframe information	Relevant driver
EU quota system		EU regulation
Technical measures		EU regulation

2.4. Is there any evidence within your country’s national waters that resource depletion may be impacting small cetaceans (e.g. evidence of starvation)?

- No.**
- Yes.** Please provide details.

2.5. Is there any evidence within your country’s national waters that resource depletion may be impacting small cetaceans (e.g. evidence of starvation)?

- No.**
- Yes.** Please provide details.

2.6. Are there any national efforts to (e.g. surveys) evaluate cetacean body condition at sea?

- No.**
- Yes.** Please provide details.

2.7. Relevant new research/work/collaboration on resource depletion in your country.

There are no official surveys, but Fjord and Belt in Kerteminde (Project leader is Magnus Walhlberg) is conducting a drone study (2017-2019, the report is not finished yet) to examine how the size of porpoises can be estimated from drone photos. This is a good first step in assessing the nutritional state of wild porpoises.

2.8. Is the perceived level of pressure from resource depletion in your country increasing, decreasing, staying the same or unknown?

To be done per species where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
HP Harbour porpoise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

B. Disturbance (incl. potential physical impacts)

3. Noise (impulsive i.e. piling and continuous/ambient i.e. shipping)

AIM: to illustrate progress on understanding, monitoring and mitigating negative effects on small cetaceans from underwater noise during the reporting period.
 Relevant Resolutions: **8.11**, 8.9, 8.6, 8.4, 8.3, 7.1, **6.2**, 6.1

Small cetaceans are especially susceptible to underwater noise due to their high responsiveness to sound and wide hearing range. Good environmental status, as defined by the European Union, suggests that the introduction of energy, including underwater noise, is at levels that do not adversely affect the marine environment. Anthropogenic noise pollution has generally increased in recent times and generates a broad range of frequencies due to a wide variety of human activities. Impulsive and continuous noise present different impacts on small cetaceans, which include communicative masking, behavioural response and physiological injury. Noise in marine environments potentially impedes communication, affects distribution and hence feeding and reproduction of small cetaceans. Studies show that not only cetaceans but also fish and other marine life may be negatively impacted by anthropogenic noise.

Parties to ASCOBANS have agreed on implementation of measures through a number of resolutions that (1) highlight the potential impact that noise pollution may have on small cetaceans in the Agreement Area and (2) commit to reduce the pressure presented by underwater noise. The Agreement Area requires improved monitoring, collation of data, and consideration of appropriate mitigation measures.

To better understand the extent to which noise negatively impacts the health of small cetaceans, and to learn about new work relevant to the topic, countries are requested to provide related information.

Questions:

3.1. To which noise registers/databases has your country contributed to date?

ICES Impulsive Noise Register (for HELCOM and OSPAR Parties)	National registry	Other
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Specify (e.g. JNCC noise registry): Continuous noise monitoring database	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Specify:

3.2. Any instances/issues in the reporting period including information on planned or completed significant developments/activities, including the details of monitoring in place before, during and after the project:

All information for Denmark is available in the ICES impulsive noise register: <https://underwaternoise.ices.dk/impulsive/submitdata/menu.aspx>

Development/ Individual Activity of impulsive noise (e.g. construction, seismic, sonar)	Status	Environmental Impact Assessment (EIA)	Strategic Environmental Assessment (SEA)	Information on noise management and monitoring			Region
				Regulations/ guidelines exist	Monitoring conducted	Mitigation in place	
	Choose an item.	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Weblinks:	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Weblinks:	Choose an item.	Choose an item.	Choose an item.	Choose an item.
	Choose an item.	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Weblinks:	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Weblinks:	Choose an item.	Choose an item.	Choose an item.	Choose an item.
	Choose an item.	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Weblinks:	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Weblinks:	Choose an item.	Choose an item.	Choose an item.	Choose an item.

3.3. Relevant new research/work/collaboration on underwater noise in your country.

- Baltic Sea information on the acoustic soundscape (BIAS). Monitoring and mapping of continuous underwater noise in the Baltic. <https://biasproject.wordpress.com/>
- Joint Monitoring of Underwater Noise in the North Sea (JOMOPANS). Monitoring and mapping of continuous underwater noise in the North Sea. <https://northsearegion.eu/jomopans/>
- Rerouting shipping and effects on the acoustic soundscape (TANGO): <https://www.igoe.org/projects/tango-rerouting-shipping-lanes-kattegat-%E2%80%93-effects-soundscape-and-ecosystem>
- Hearing and echolocation behaviour in moving porpoises, funded by ONR. M Wahlberg, 2019-2023.
- Liebschner, A., Seibel, H., Teilmann, J., Wittekind, D., Parmentier, E., Dähne, M., Dietz, R., Driver, J., Elk, C.v., Everaarts, E., Findeisen, H., Kristensen, J., Lehnert, K., Lucke, K., Merck, T., Müller, S., Pawliczka, I., Ronnenberg, K., Rosenberger, T., Ruser, A., Tougaard, J., Schuster, M., Sundermeyer, J., Sveegaard, S., Siebert, U. (2016). Impacts of Underwater Noise on Marine Vertebrates: Project Introduction and First Results. The Effects of Noise on Aquatic Life II. A. N. Popper and A. Hawkins, Springer New York. 875: 631-636.
- Dähne, M., J. Tougaard, J. Carstensen, A. Rose, and J. Nabe-Nielsen. 2017. Bubble curtains attenuate noise from offshore wind farm construction and reduce temporary habitat loss for harbour porpoises. Marine Ecology Progress Series 580:221-237.
- Hermannsen, L., L. Mikkelsen, J. Tougaard, K. Beedholm, M. Johnson, and P. T. Madsen. 2019. Recreational vessels without Automatic Identification System (AIS) dominate anthropogenic noise contributions to a shallow water soundscape. Sci Rep 9:15477.
- Merchant, N. D., M. H. Andersson, T. Box, F. Le Courtois, D. Cronin, N. Holdsworth, N. Kinneking, S. Mendes, T. Merck, J. Mouat, A. M. J. Norro, B. Ollivier, C. Pinto, P. Stamp, and J. Tougaard. 2020. Impulsive noise pollution in the Northeast Atlantic: Reported activity during 2015–2017. Marine Pollution Bulletin 152.

- Mikkelsen, L., L. Hermannsen, K. Beedholm, P. T. Madsen, and J. Tougaard. 2017. Simulated seal scarer sounds scare porpoises, but not seals: species-specific responses to 12 kHz deterrence sounds. *R Soc Open Sci* 4:170286.
- Mustonen, M., A. Klauson, M. Andersson, D. Clorennec, T. Folegot, R. Koza, J. Pajala, L. Persson, J. Tegowski, J. Tougaard, M. Wahlberg, and P. Sigray. 2019. Spatial and Temporal Variability of Ambient Underwater Sound in the Baltic Sea. *Sci Rep* 9:13237.
- Sarnocińska, J., J. Teilmann, J. D. Balle, F. M. van Beest, M. Delefosse, and J. Tougaard. 2020. Harbor Porpoise (*Phocoena phocoena*) Reaction to a 3D Seismic Airgun Survey in the North Sea. *Frontiers in Marine Science* 6.
- Wahlberg, M., L. Delgado, J. H. Kristensen (2017). Precocious hearing in harbour porpoise neonates. *Journal of Comparative Physiology A* 203(2): 121-132.
- Tougaard, J., and K. Beedholm. 2019. Practical implementation of auditory time and frequency weighting in marine bioacoustics. *Applied Acoustics* 145:137-143.
- Tougaard, J., and M. Dähne. 2017. Why is auditory frequency weighting so important in regulation of underwater noise? *The Journal of the Acoustical Society of America* 142:EL415-EL420.
- Wright, A. J., C. Araújo-Wang, J. Y. Wang, P. S. Ross, J. Tougaard, R. Winkler, M. C. Márquez, F. C. Robertson, K. F. Williams, and R. R. Reeves. 2019. How 'Blue' Is 'Green' Energy? *Trends in Ecology & Evolution*.
- Kragh, I.M., McHugh, K., Wells, R.S., Sayigh, L.S., Janik, V.M., Tyack, P.L., and Jensen, F.H. (2019), "Signal-specific amplitude adjustment to noise in common bottlenose dolphins (*Tursiops truncatus*)", *Journal of Experimental Biology*, 222, doi:10.1242/jeb.216606
- Wisniewska, D.M. Johnson, M., Teilmann, J., Siebert, U., Galatius, A., Dietz, R. and Madsen, P.T. (2018), "High rates of vessel noise disrupt foraging in wild harbour porpoises (*Phocoena phocoena*)", *Proc. R. Soc. B* : 285:20172314, jeb168740, doi:10.1098/rspb.2017.2314
- Christiansen, F., Rojano-Doñate, L., Madsen, P.T and Bejder, L. (2016), "Noise Levels of Multi-Rotor Unmanned Aerial Vehicles with Implications for Potential Underwater Impacts on Marine Mammals", *Front. Mar. Sci.* 3:277

3.4. Report on noise management for cumulative impacts, including relevant regulations and guidelines, seismic shot point densities and level of impact deemed acceptable.

Unknown

3.5. Is the perceived level of pressure from underwater noise in your country increasing, decreasing, staying the same or unknown?

To be done per species basis where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
HP Harbour porpoise	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICES impulsive noise register. Merchant, N. D., M. H. Andersson, T. Box, F. Le Courtois, D. Cronin, N. Holdsworth, N. Kinneging, S. Mendes, T. Merck, J. Mouat, A. M. J. Norro, B. Ollivier, C. Pinto, P. Stamp, and J. Tougaard. 2020. Impulsive noise pollution in the Northeast Atlantic: Reported activity during 2015–2017. <i>Marine Pollution Bulletin</i> 152 .
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

B. Disturbance (incl. potential physical impacts)

4. Ocean Energy

AIM: to understand the extent and development of current and planned ocean energy projects, and progress in monitoring and mitigation of their negative effects on small cetaceans during the reporting period.

Relevant Resolutions: 8.11, 8.9, 8.6, 8.3, 6.2

Renewable energy is a necessary component of the efforts to supply the energy needs of human populations while combatting climate change. Efforts to harness renewable energy sources, however, should be conducted in a way that does not have a harmful impact on biological diversity and the marine environment. There are potential adverse effects of ocean energy on small cetaceans from such energy projects. In regard to small cetaceans, this can include potential lethal interactions or injury, negative behavioural impacts from displacement and changes in fecundity, calf survival and juvenile and adult mortality. There remains uncertainty regarding quantifying the (magnitude of the) pressure from ocean energy production on small cetaceans.

Parties to ASCOBANS have agreed to introduce precautionary measures and procedures for activities surrounding the development of renewable energy in marine environments in order to minimise and mitigate possible effects on small cetaceans, by following best practices. Parties have committed to investigating such pressures and robustly monitoring and mitigating them through environmental impact assessments. Addressing all aspects relevant to the conservation of protected species in regard to ocean energy and collaboration with other organizations working on or potentially interested in the issue is to the benefit of small cetaceans in the Agreement Area.

It is of particular interest to ASCOBANS to understand current and ongoing renewable energy projects in the Agreement Area, mitigation measures and procedures in use and other work relevant to the topic. Countries are requested to provide information relevant to their activities.

Questions:

4.1. Please enter wind energy farm data into the table below.

Denmark has many marine wind farms and more are continuously being planned and constructed. A total list of existing and planned projects can be found here: <https://ens.dk/ansvarsomraader/vindenergi/eksisterende-havvindmoelleparker-og-aktuelle-projekter>. Below are only included wind farms completed in 2016-2019.

Name of wind farm	Operational date (or foreseen grid connection date)	Area	Output (megawatts per turbine)	Number of turbines	How were the individual wind turbines installed in the seabed?	Was scour protection used?	Noise mitigation during construction used? (multiple ticks possible)	If the wind farm is floating, how was it anchored?	Other mitigation used in pre-/post-construction	Additional information
Nissum Bredning Testfarm	2018	27.4.b	7	4	Pile-driving	Unknown	<input type="checkbox"/> Single bubble curtains <input type="checkbox"/> Double bubble curtains <input type="checkbox"/> Acoustic deterrent devices <input type="checkbox"/> Time/area closures <input type="checkbox"/> Other, please specify:			Denmark follow this guideline with regard to piledriving https://ens.dk/sites/ens.dk/files/Vindenergi/guideline_underwaternoise_0.pdf
Horns Rev 3	22.8.2019 (expected finished in 2020)	27.4.b	8.3	49	Pile-driving	Unknown	<input type="checkbox"/> Single bubble curtains <input type="checkbox"/> Double bubble curtains <input type="checkbox"/> Acoustic deterrent devices <input type="checkbox"/> Time/area closures <input type="checkbox"/> Other, please specify:			Denmark follow this guideline with regard to piledriving https://ens.dk/sites/ens.dk/files/Vindenergi/guideline_underwaternoise_0.pdf

4.2. Please enter wave power installation data into the table below. – Denmark has no installations

Name of installation	Operational date (or foreseen grid connection date)	Area	Output (megawatts per turbine)	Number of turbines	How is the installation anchored?	Was scour protection used?	Mitigation used in pre-/during/post-construction	Additional information
	dd/mm/yy	Choose an item.				Choose an item.		
	dd/mm/yy	Choose an item.				Choose an item.		

4.3. Please enter tidal energy installation data into the table below. – Denmark has no installations

Name of installation	Operational date (or foreseen grid connection date)	Area	Output (megawatts per turbine)	Number of turbines	Type	Collision mitigation	Other mitigation used in pre-/during/post-construction	Additional information
----------------------	---	------	--------------------------------	--------------------	------	----------------------	--	------------------------

	dd/mm/yy	Choose an item.			Choose an item.	Choose an item.		
	dd/mm/yy	Choose an item.			Choose an item.	Choose an item.		

4.4. Please enter tidal lagoon/barrage installation data into the table below. – Denmark has no installations

Name of installation	Operational date (or foreseen grid connection date)	Area	Output (megawatts per turbine)	Number of turbines	Type	Collision mitigation	Other mitigation used in pre-/during/post-construction	Additional information
	dd/mm/yy	Choose an item.			Choose an item.	Choose an item.		
	dd/mm/yy	Choose an item.			Choose an item.	Choose an item.		

4.5. Has there been any other instances/issues related to ocean energy during the reporting period in your country?

No.

Yes. Please provide details:

4.6. How is the pressure managed, incl. relevant regulations / guidelines and the year of implementation (current and planned)?

Denmark follow this guideline with regard to piledriving

https://ens.dk/sites/ens.dk/files/Vindenergi/guideline_underwaternoise_0.pdf

4.7. Relevant new research/work/collaboration on ocean energy in your country.

- van Beest, F.M., Teilmann, J., Hermannsen, L., Galatius, A., Mikkelsen, L., Sveegaard, S., Balle, J.D., Dietz, R. and Nabe-Nielsen, J. (2018). Fine-scale movement responses of free-ranging harbour porpoises to capture, tagging, and short-term noise pulses from a single airgun. Royal Society Open Science i.5: 170110. <http://dx.doi.org/10.1098/rsos.170110>
- Nabe-Nielsen J, van Beest, FM, Grimm V, Sibly RM, Teilmann J, Thompson PM. (2018). Predicting the impacts of anthropogenic disturbances on marine populations. Conservation Letters e12563. <https://doi.org/10.1111/conl.12563>
- Johannes Baltzer, MSc thesis, SDIU, 2016. "Effects of pile-driving on echolocation behaviour of harbour porpoises in Sylt Outer Reef"
-

4.8. Mark the perceived level of pressure from ocean energy in your country to the table below.

For example, active construction of new developments could increase the pressure, while decommissioning or addition of mitigation measures to pre-existing projects could decrease the pressure.

Energy type	Status 2019 relative to previous years	Nature of the evidence
Wind energy	Unchanged	Denmark has been building wind farms for several decades.
Wave power	Choose an item.	
Tidal energy	Choose an item.	
Tidal lagoon/barrage	Choose an item.	

Comments:

B. Disturbance (incl. potential physical impacts)

5. Cetacean Watching Industry

AIM: to determine if the developing cetacean watching industry poses a threat to small cetaceans.

Relevant Resolutions: 8.9, 6.1, 5.4

Whale and dolphin watching is a global industry that can provide socio-economic benefits to local communities by attracting tourism, as well as strengthening public awareness of conservation needs. However, it also has the potential of being harmful when it interferes with the behaviour of animals in their natural environment and may even lead to injury or death. As the cetacean watching industry is still scarcely developed in some countries, collecting this data now allows tracking the development of the industry.

It is of particular importance to ASCOBANS to obtain an overview of the current scale of the activities and to monitor the development of the industry in the future. This is done by quantifying the number and locations of operators, reporting negative interactions and providing information on the development and implementation of any guidelines regarding cetacean watching.

Filling out this section accurately and completely will help to detect any indications of potential threats, allow timely mitigation action and enable Parties and Non-Party Range States to work towards a coordinated approach regarding the development of cetacean watching guidelines in the Agreement Area.

Note: We are here only addressing commercial cetacean watching activities which take place from vessels and include viewing of small cetacean species. Operators are defined as those offering trips with a primary focus: they advertise specifically with the aim to see small cetaceans, or a secondary focus: they advertise either for other taxa, such as birds or seals, or large cetaceans, or more general for wildlife, but mention the opportunity to see small cetaceans.

Questions:

5.1. Do you have any commercial small cetacean watching industry operating in your country?

- No. Go to Question 5.3.
- Yes.

5.2. In the table below, provide the sub-regions from which commercial cetacean watching takes place. Please tick the boxes if small cetacean watching is a primary and/or secondary focus of the operators and, in the first case what the target species are.

Overview of commercial small cetacean watching activities per sub-region. If necessary, add rows.

Region	Small cetacean watching		Link to website or contact details (include information on ports and operators if available)	
	Primary focus / target species	Secondary focus		
H Belt Sea	<input checked="" type="checkbox"/>	HP Harbour porpoise Choose a species Choose a species Choose a species	<input type="checkbox"/>	Henrik Traugott-Olsen, Mail: mail@visitmiddelfart.dk , Web: http://www.galeasen-aventura.dk
H The Sound	<input checked="" type="checkbox"/>	HP Harbour porpoise Choose a species Choose a species Choose a species	<input type="checkbox"/>	https://www.oresundsakvariet.ku.dk/english/experiences/rib-boat-sea-tour/
H Belt Sea	<input checked="" type="checkbox"/>	HP Harbour porpoise Choose a species Choose a species Choose a species	<input type="checkbox"/>	http://meer2sea.dk , Bjarne Knudsen: bjankmail@gmail.com
H Belt Sea	<input type="checkbox"/>	General marine life	<input checked="" type="checkbox"/>	Fjord&Bælt, Margrethes Plads 1, Kerteminde, email: post@fjord-baelt.dk

5.3. Does your country have a definition of the term ‘harassment’ in general and/or as it relates to the Cetacean Watching Industry? ¹

- No.
- Yes. Provide definition below:

5.4. Have there been any incidents of harassment towards small cetaceans in the context of commercial cetacean watching reported to authorities during the reporting period?

- No.
- Yes. Provide information on table below. If necessary, copy table.

Date dd/mm/yy	Context of incidence	Outcome for (a) the animal or (b) human (e.g. behavioural response, injury, death)
Legal procedures / court proceedings / convictions that took place		Responsible authority for such reports

¹ For example, the US Marine Mammal Protection Act uses the term harassment, and defines two levels: Level A harassment means any act of pursuit, torment, or annoyance that has the potential to injure a marine mammal or marine mammal stock in the wild. Level B harassment refers to acts that have the potential to disturb (but not injure) a marine mammal or marine mammal stock in the wild by disrupting behavioural patterns, including, but not limited to, migration, breathing, nursing, breeding, feeding, or sheltering. NB. The UK uses the term ‘disturbance’ in its legislation.

Link to websites or documentation of this report

5.5. Does your country have any operators that offer swimming with dolphins (or other small cetaceans)?

In some parts of the world this has become an important tourism industry with potential impacts for both small cetaceans and swimmers. Although scarcely developed, it has occurred within the ASCOBANS Agreement Area, and requires at least background monitoring. Sometimes incidents occur and can lead to harm for small cetaceans and/or swimmers.

- No.** Go to **Question 5.9.**
- Yes.** Provide information in the table below.

Location	Species	Operator	Any reported incidents between small cetaceans or swimmers.
	Choose an item.	(include link to website)	<input type="checkbox"/> No <input type="checkbox"/> Yes, please describe:
	Choose an item.	(include link to website)	<input type="checkbox"/> No <input type="checkbox"/> Yes, please describe:
	Choose an item.	(include link to website)	<input type="checkbox"/> No <input type="checkbox"/> Yes, please describe:

5.6. List any incidents of harassment to small cetaceans during the reporting period in your country in the context of swimming with small cetaceans reported to authorities – and the outcome if known (behavioural response, injury, death, any court proceedings).

Date	Context of incidence	Outcome for (a) the animal or (b) human (e.g. behavioural response, injury, death)	Legal procedures/ court proceedings/ convictions that took place	Responsible authority for such reports	Link to websites or documentation of this report
dd/mm/yy					
dd/mm/yy					
dd/mm/yy					

5.7. Are there any solitary sociable dolphin interactions in your country?

Occasionally, individual solitary dolphins may associate with humans, resulting in increased interactions between the two which may lead to impacts upon either. Sometimes incidents occur and can lead to harm for small cetaceans and/or swimmers.

- No.** Go to **Question 5.12.**
- Yes.** Provide information in the table below.

Region	Date	Species	Link to websites	Reported incidents between small cetaceans and swimmers
H Belt Sea	2016-2019	BD Bottlenose dolphin	https://www.facebook.com/groups/hvaler.dk/	2-3 times every year 1-2 dolphins stay in the Belt Sea area for a couple on month and here, the locals have many interactions both during swimming and sailing
Choose an item.	dd/mm/yy	Choose an item.		

5.8. Does your country have any mitigation measures (codes of conduct/guidelines) in place in the event of disturbance or harassment in the context of commercial cetacean watching, swimming with cetaceans, and interactions with solitary sociable dolphins?

- No.**
- Yes.** Please add below the type of measures and relevant information:

Measure: (may include regional measures)			
Date of implementation:		Region: Choose an item.	
Has the measure been effective?	<input type="checkbox"/> No <input type="checkbox"/> Yes. Comments:		
Other information:			

Copy table if needed.

5.9. List any incidents of harassments to small cetaceans during the reporting period in the context of interactions with solitary sociable dolphins reported to authorities – and the outcome if known (behavioural response, injury, death, any court proceedings).

Date	Context of incidence	Outcome for (a) the animal or (b) human (e.g. behavioural response, injury, death)	Legal procedures/ court proceedings/ convictions that took place	Responsible authority for such reports	Link to websites or documentation of this report
dd/mm/yy					
dd/mm/yy					

5.10. Relevant new research/work/collaboration on the cetacean watching industry, “swim with small cetacean” operations, solitary sociable dolphin interactions and their possible effects on small cetaceans in your country.

- Riisager-Pedersen C, Galatius A, Olsen MT. 2017. Mapping Danish marine mammal ecotourism. Poster session præsentert ved Annual Conference of the European Cetacean Society 2017, Middelfart, Danmark.
- Riisager-Pedersen C. 2017. Marine mammal management in light of eco-tourism. Master thesis at Natural History Museum of Denmark, University of Copenhagen, Denmark.

5.11. Have there been any other instances/issues related to cetacean watching industry during the reporting period in your country?

No.

Yes. Please provide details:

5.12. Is the perceived level of pressure from commercial small cetacean watching in your country increasing, decreasing, staying the same or unknown?

To be done per species where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
HP Harbour porpoise	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	There are so few operators and so few tours, that it is very unlikely that they constitute any kind pressure for the harbour porpoise.
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

B. Disturbance (incl. potential physical impacts)

6. Recreational Sea Use

AIM: to determine whether recreational sea use is detrimental to small cetaceans and, if so, to identify types of activity and areas of concern.
 Relevant Resolutions: 8.9, 8.3, 7.1, 6.1, 5.4

Recreational use of the sea by humans includes a wide variety of activities, some of which are known to have a potential negative impact on small cetaceans. This includes the use of RIBs (rigid-hulled inflatable boats), hard-hulled boats exceeding 10 knots in speed, yachts and personal watercrafts such as jet skis, kayaks and surfboards; and excludes recreational fishing and sea-angling.

Interactions can cause animals to change behaviour and move away, but can also have more serious impacts, such as injury or even death due to collision. ASCOBANS has agreed on a number of resolutions that highlight the importance to review all available information on recreational use of the sea. Obtaining an overview of best practices and guidelines will enable comparisons to be made across the Agreement Area, and ultimately may lead to the provision of overall, consistent guidelines that might be developed at a regional or national level. In this section we strive to obtain an overview of potential risk areas and national sources that have data on incidents with small cetaceans related to recreational sea use.

Questions:

6.1. Are data on recreational sea use available for your country?

- No.** Go to **Question 6.3.**
- Yes.** Provide information in the table below:

Type of information: (e.g. number of licenced recreational vessels per region, tourist number per region, other)

Web link or other relevant link to data: (where can this information be found)

6.2. Is information on main areas of recreational sea use available for your country?

Many Range States are mapping human activities to fulfil obligations under the EU Maritime Spatial Planning Directive, MSFD, OSPAR, and HELCOM; this information is relevant (though often not readily accessible) to ASCOBANS in understanding the extent and trends of human activities potentially impacting small cetaceans.

- No.**
- Not applicable.** Comments:
- Yes.** Provide information in the table below.

Region	Type of information	Is the data available online?	Provide link to data, or comment on unavailability
Choose an item.	(e.g. maps, GIS, reports)	<input type="checkbox"/> No <input type="checkbox"/> Yes	(weblinks)
Choose an item.	(e.g. maps, GIS, reports)	<input type="checkbox"/> No <input type="checkbox"/> Yes	(weblinks)
Choose an item.	(e.g. maps, GIS, reports)	<input type="checkbox"/> No <input type="checkbox"/> Yes	(weblinks)

6.3. Were there any incidents of disturbance or harassment to small cetaceans in relation to recreational sea use in your country?

- No.**
- Unknown.**
- Yes.** Provide information in the table below.

Date	Area	Context of incidence	Outcome for (a) the animal or (b) human	Legal procedures/ court proceedings/ convictions	Link to websites or documentation of the incident
dd/mm/yy	Choose an item.	(e.g. what kind of recreational activity)	(e.g. behavioural response, injury, death)		
dd/mm/yy	Choose an item.	(e.g. what kind of recreational activity)	(e.g. behavioural response, injury, death)		
dd/mm/yy	Choose an item.	(e.g. what kind of recreational activity)	(e.g. behavioural response, injury, death)		

6.4. Does your country have any mitigation measures (codes of conducts/guidelines/laws/rules) in place in the event of disturbance or harassment of small cetaceans through recreational sea use?

- No.**
- Yes.** Provide information in table below:

Measure:	
Date of implementation:	Region: Choose an item.
Has the measure been effective?	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Comments:
Other information:	

Copy table if needed.

6.5. Relevant new research/work/collaboration on disturbance or harassment of small cetaceans through recreational sea use in your country.

Riemann B, Al-Hamdani Z, Olafsson AS, Hasler B, Kaae BC, Murray C, Göke C, Kallenbach E, Olesen HJ, Nabe-Nielsen J, Tougaard J, Andersen JH, Egekvist J, Leth JO, Dahl K, Christoffersen M, Zandersen M, Termansen M, Sveegaard S, Harvey T, ed. 2019. Maritim arealplanlægning i Øresund: Scenarier for udvikling af erhvervs-, samfunds- og miljømæssige forhold. Aarhus: Aarhus Universitetsforlag. 174 p. (Miljøbiblioteket; No. 6).

6.6. Have there been any other instances / issues related to recreational sea use in your country during the reporting period?

No.

Yes. Please provide details:

6.7. Is the perceived level of pressure from recreational sea use in your country increasing, decreasing, staying the same or unknown?

To be done per species where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

B. Disturbance (incl. potential physical impacts)

7. Other Sources of Disturbance

AIM: to identify new sources of disturbance that could be a threat to small cetaceans.
Relevant Resolutions: 8.9, 6.1

Overlap of small cetacean and human habitat use is not covered by the questions above, while human activities in the seas are increasing, particularly in the coastal zone. Human activities can, for example, cause a small cetacean to change behaviour, or it can cause physical harm or death. This section aims to identify new sources of disturbance that could be a threat to small cetaceans. The issue of noise is covered under section B3.

7.1. Have there been any incidents of disturbance to small cetaceans in your country during the reporting period, not covered in the items above?

No.

Unknown.

Yes. Please provide information in the table below.

Any incidents of disturbance to small cetaceans not covered in Sections B5 or B6 by the report.

Description of event:		Date: dd/mm/yy	Area: Choose an item.
Outcome for (a) the animal or (b) human	(e.g. behavioural response, injury, death)		
Describe mitigation measures:			
Legal procedures/ court proceedings/ convictions:			
Links to relevant information:	(websites, etc.)		

7.2. Relevant new research/work/collaboration on other sources of disturbance in your country.

- Carlén, I., Thomas, L., Carlström, J., Amundin, M., Teilmann, J., Tregenza, N., Tougaard, J., Koblitz, J.C., Sveegaard, S., Wennerberg, D., Loisa, O., Dähne, M., Brundiers, K., Kosecka, M., Kyhn, L.A., Ljungqvist, C.T., Pawliczka, I., Koza, R., Arciszewski, B., Galatius, A., Jabbusch, M., Laaksonlaita, J., Niemi, J., Lyytinen, S., Gallus, A., Benke, H., Blankett, P., Skóra, K.E., Acevedo-Gutiérrez, A. (2018). Basin-scale distribution of harbour porpoises in the Baltic Sea provides basis for effective conservation actions. *Biological Conservation* 226: 42-53.
- Rojano-Doñate, L., McDonald, B.I., Wisniewska, D.M., Johnson, M., Teilmann, J., Wahlberg, M., Højer-Kristensen, J. and Madsen, P.T. (2018). High field metabolic rates of wild harbour porpoises. *Journal of Experimental Biology* 221, jeb185827. doi:10.1242/jeb.185827
<https://doi.org/10.1016/j.envres.2019.05.026>

- Ruser, A., Dähne, M., van Neer, A., Lucke, K., Sundermeyer, J., Siebert, U., Houser, D.S., Finneran, J.J., Everaarts, E., Meerbeek, J., Dietz, R., Sveegaard, S. and Teilmann, J. 2016. Assessing auditory evoked potentials of wild harbor porpoises (*Phocoena phocoena*). J. Acoust. Soc. Am. 140 (1): 442-452. <https://doi.org/10.1121/1.4955306>
- Sørensen, P.M., Wisniewska, D.M., Jensen, F.H., Johnson, M., Teilmann, J. and Madsen, P.T. (2018). Click communication in wild harbour porpoises (*Phocoena phocoena*). Scientific Reports 8: 9702. <http://DOI:10.1038/s41598-018-28022-8>
- van Beest, F.M., Teilmann, J., Dietz, R., Galatius, A., Mikkelsen, L., Stalder, D. Sveegaard, S. and Nabe-Nielsen, J. (2018). Environmental drivers of harbour porpoise fine-scale movements. Marine Biology 165:95. <https://doi.org/10.1007/s00227-018-3346-7>
- Wisniewska DM, Johnson M, Teilmann J, Siebert U, Galatius A, Dietz R, Madsen PT. 2018 High rates of vessel noise disrupt foraging in wild harbour porpoises (*Phocoena phocoena*). Proc. R. Soc. B 285: 20172314. <http://dx.doi.org/10.1098/rspb.2017.2314>
- Wisniewska, D.M., Johnson, M., Teilmann, J., Rojano-Donate, L., Shearer, J., Sveegaard, S., Miller, L.A., Siebert, U. and Madsen, P.T. 2016. Ultra-High Foraging Rates of Harbor Porpoises Make Them Vulnerable to Anthropogenic Disturbance. Current Biology 26 (11): 1441–1446 <http://dx.doi.org/10.1016/j.cub.2016.03.069>
- Wisniewska, D.M., Johnson, M., Teilmann, J., Rojano-Donate, L., Shearer, J., Sveegaard, S., Miller, L.A., Siebert, U. and Madsen, P.T. (2018). Response to “resilience of harbor porpoises to anthropogenic disturbance: must they really feed continuously?” Marine Mammal Science, 34(1): 265–270
- Wright, A. J., Akamatsu, T., Nørgaard, K.M., Sveegaard, S., Dietz, R. and Teilmann, J. 2017. Silent porpoise: potential sleeping behaviour identified in wild harbour porpoises, Animal Behaviour, 133: 211-222, <https://doi.org/10.1016/j.anbehav.2017.09.015>
- Wright, A.J., Akamatsu, T., Mouritsen, K.N., Sveegaard, S., Dietz, R. and Teilmann J. (2016). Low acoustic activity during dives in wild harbour porpoise: implications of noise effect during possible sleeping behavior. Advances in Experimental Medicine and Biology 875: 1251-8. doi: 10.1007/978-1-4939-2981-8_157

C. Habitat Change and Degradation (incl. potential physical impacts)

8. Unexploded Ordnance

AIM: to provide information on the mitigation, management and potential negative impacts of unexploded ordnance on small cetaceans during the reporting period.

Relevant Resolutions: 8.11, 8.9, **8.8**, 8.3

Unexploded chemical and conventional munitions present a threat to small cetaceans. Hazards exist from unexploded munitions, which release chronic contaminants, and upon detonation, which is physically hazardous from extreme underwater noise and a sudden release of toxic substances. Unexploded ordnance is a notable threat in many areas, such as the Baltic Sea, where the quantity is unknown, though estimates are high. Information on disposal, state of corrosion and quantities of dumped munition is limited, as are meaningful data on the measured environmental impacts. The significance of this pressure's impact on small cetaceans requires further quantification. However, it is clear that mitigation measures are necessary to support alternatives to detonations, and when no alternative is feasible, to reduce negative impacts on small cetaceans.

In the ASCOBANS Area, millions of tons of unexploded ordnance are present in the marine environment and thousands of sea users, such as fishermen, encounter such munitions every year. Parties have agreed on resolutions to support (1) research investigating the pressure on marine animals and habitat and (2) mitigation measures regarding effects of disintegrating submerged munitions on the marine environment. Parties are to strive towards providing relevant information to required bodies and supporting efforts to address the negative implications from this pressure in other regional and international organizations and waters.

Questions:

8.1. To which registers/databases covering conventional and chemical munitions has your country contributed to date?

<input checked="" type="checkbox"/> OSPAR	<input type="checkbox"/> None	<input type="checkbox"/> Unknown
<input checked="" type="checkbox"/> HELCOM	<input type="checkbox"/> Other, please state:	

8.2. Please fill in Table 8.2 below on unexploded ordnance. For explanation of terms, see [AC22/Inf.4.6.c](#).

8.3. Have there been any instances/issues (not listed in Table 8.2) related to the issue of unexploded ordnance during the reporting period in your country?

No.

Yes. Please provide details:

unknown

8.4. How is the issue of unexploded ordnances being managed?

The Danish military coordinated the handling of UXOs

8.5. Relevant new research/work/collaboration on the issue of unexploded ordnance in your country.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study; web links to other relevant information)

8.6. Is the perceived level of pressure from unexploded ordnance in your country:

<input type="checkbox"/> Increasing	<input type="checkbox"/> Decreasing	<input type="checkbox"/> Staying the same	<input checked="" type="checkbox"/> Unknown
Nature of evidence:			

Not applicable. Comments:

Table 8.2 on Unexploded Ordnance (adapted from the OSPAR reporting format) – The Danish detonations of UXOs are reported to the ICES impulsive noise register, where it can be downloaded from.

OSPAR Ref. No	First located (Area)	Nature of encounter	Date	Type of munition	Action taken	State of munition (corrosion)	Release, Destruction (Area)	Remarks	Depth of Explosion	Estimated net weight of explosive material of demolished UXO	Demolition charge: net weight of explosive material added	Observations during explosion	
If available, otherwise leave blank	Please select	Please select	dd/mm/yy	Please select	Please select	Please select	Please select	(incl. mitigation measures taken, if any)	Meters on seafloor / raised	TNT equivalent in kg	TNT equivalent in kg	Please select	
	Choose an item.	Choose an item.		Choose an item.	Choose an item.	Choose an item.	Choose an item.					Choose an item.	

C. Habitat Change and Degradation (incl. potential physical impacts)

9. Marine Debris (ingestion and entanglement)

AIM: to illustrate progress, during the reporting period, on understanding, monitoring and mitigating impacts of marine debris on small cetaceans.
Relevant Resolutions: 8.8, 8.3, 6.1

Marine debris, such as macroplastics and discarded fishing gear, poses a threat to small cetaceans due to the potential for these materials to be ingested or to cause entanglement. Commercial fishing operations, recreational fishing and cargo shipping are notable sources of this material, of which the majority is plastic and ghost nets. However, it is assumed that most of the marine litter worldwide comes from land, although this differs per region. Even small amounts of macroplastics that have been ingested may present serious effects on small cetaceans, such as detrimental influence on the gastrointestinal tract or leaching pollutants into the body, potentially leading to mortality or reduced body condition. Entanglement is well-established as a threat to small cetaceans as plastic debris continues to accumulate in aquatic environments, and may cause physical injuries, reduced survival or drowning.

To better understand the impact of marine debris on small cetaceans and measures in place to mitigate these effects, countries are requested to provide relevant information.

Note: Includes macroplastics and discarded fishing gear. Microplastics are covered under Section C 10 Pollution and Hazardous Substances.

Questions:

9.1. Does your country have monitoring in place to assess levels of marine debris?

- No.** Go to **Question 9.3.**
- Yes.** Provide information in the table below:

Under the Marine Strategy Framework Directive several indicators relate to the collection of marine debris and microplastic are under development.
See this report:
https://dce.au.dk/fileadmin/dce.au.dk/Udgivelser/Notater_2018/Beach_litter_at_Danish_reference_beaches_2018.pdf

9.2. Are these data publicly available?

- No.**
- Yes.** Please provide a link:

By contacting DCE

9.3. What species of small cetaceans were found to have been impacted by marine debris? – no species

Species	# of impacted individuals	Year	Region	Description of the impact
Choose an item.			Choose an item.	
Choose an item.			Choose an item.	
Choose an item.			Choose an item.	

9.4. Are there any mitigation measures in place?

- No.**
- Yes.** Provide information in the table below.

(Mitigation measures might include e.g. changes in gear to prevent loss, entanglement response, adoption of measures to reduce land-based/boat-based sources of marine debris)

Measure:	Unknown		
Date of implementation:		Region: Choose an item.	
Has the measure been effective?	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Comments:		
Other information:			

Copy table if needed.

9.5. How is marine debris managed? (incl. relevant regulations / guidelines and the year of implementation, current and planned)

Denmark follow the protocol and data gathering determined by HELCOM and OSPAR

9.6. Relevant new research/work/collaboration on marine debris in your country.

Fauser P, Strand J, Vorkamp K. 2020. Risk assessment of added chemicals in plastics in the Danish marine environment. Marine Pollution Bulletin. 157:Article 111298. <https://doi.org/10.1016/j.marpolbul.2020.111298>

Syberg K, Palmqvist A, Sick C, Strand J. 2019. A holistic approach to address plastic pollution on a local scale - The Roskilde Fjord case. Abstract fra 20. Danske Havforsker møde, Odense, Danmark.

Setälä O, Granberg M, Hassellöv M, Karlsson T, Lehtiniemi M, Mattsson K, Strand J, Talvitie J, Magnusson K 2019. Monitoring of microplastics in the marine environment: - Changing directions towards quality controlled tailored solutions. Nordic Council of Ministers. 28 s. <https://doi.org/10.6027/NO2019-053>

Fauser P, Bach L, Daugaard AE, Vollertsen J, Murphy F, Koski M, Christensen A, Joest Andersen T, Scott-Fordsmand JJ, Strand J 2019. Risk assessment of harmful types of plastics in the marine environment. Aarhus: Aarhus Universitet, DCE Nationalt Center for Miljø og Energi. 74 s. (Scientific Report; Nr. 329).

Strand J. 2018. Havfugle som indikatorer for forureningen med plastic i havet. Dansk Ornitologisk Forenings Tidsskrift. 112(1):8-9.

Feld L, Metcalfe RDA, Strand J. 2018. National monitoring of beach litter in Denmark 2018. 11 s. dec. 17, 2018. (Research note from DCE - Danish Centre for Environment and Energy).

9.7. Is the perceived level of pressure from marine debris in your country increasing, decreasing, staying the same or unknown?

To be done per species where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

C. Habitat Change and Degradation (incl. potential physical impacts)

10. Pollution and hazardous substances (incl. microplastics)

AIM: to illustrate progress on understanding, monitoring and mitigating impacts of important current and emerging pollution-related hazards on small cetaceans. during the reporting period
 Relevant Resolutions: 8.9, 8.8, **8.7**, 8.4, 8.3, **7.4**, 7.1, 6.1, 5.7

Marine environments have been subject to a wide range of different types of pollution over the last decades. Top predators, such as small cetaceans that feed on higher trophic prey, tend to accumulate many of these potentially hazardous substances. There are a number of contaminants and pathogens that are known, or suspected, to have impacts on small cetacean health, immune status or reproduction. These include, for example: polychlorinated biphenyls (PCBs) and other persistent organic pollutants (POPs), oil pollution (polycyclic aromatic hydrocarbons), toxins from harmful algal blooms (HABs), sewage, radionuclides, toxic elements, tri-butyl tin (TBT), morbillivirus, and Brucella. In addition, micro- and nano-plastics are also present in marine environment and their impacts are presently poorly understood.

Monitoring can be done using body tissue from small cetaceans obtained from live animals through biopsies, or from dead animals that are generally found on the shore. Necropsies allow the sampling of different types of tissue such as blubber, muscle, kidney or liver and these can be analyzed subsequently.

To better understand the impact of contaminants on small cetacean health, to detect new emerging hazards and to work towards a common protocol for analyzing samples, countries are asked to provide information on their programs.

Note: Includes microplastics. Macroplastics and discarded fishing gear are covered under Section C 9 Marine Debris.

Questions:

10.1. Does your country conduct monitoring of pollutants in small cetaceans?

Several pollutants have serious effects on individual small cetaceans and can threaten populations. The aim is to capture the nature of existing monitoring and identify gaps in terms of which pollutants are monitored, the extend of this monitoring and the establishment of securely funded long-term data series.

- No. Go to Question 10.7.**
- Yes.**

Comments:

10.2. Who is carrying out the pollutant monitoring program? Please provide information on the institution(s)/agencies that collect the samples and carry out the analyses. Copy table if needed.

Name:
Role in monitoring: (e.g. sample collection, analyses, other)
Postal Address:
Contact Person:
Telephone:
Email:
Weblink:

10.3. Select the small cetacean species that were covered by your monitoring program during the reporting period. Mark the year in which the species was sampled with an x.

2016	2017	2018	2019	Species	2016	2017	2018	2019	Species
				Choose a species					Choose a species
				Choose a species					Choose a species
				Choose a species					Choose a species

Comments:

10.4. Select the source of your samples (multiple answers possible)

- Necropsy from stranding
- Necropsy from bycatch
- Sample from live stranding
- Biopsy from live animal
- Other (specify in comments)

Comments:

10.5. Select the geographical coverage of your monitoring program (several answers are possible)

A map of the OSPAR and HELCOM regions and sub-regions can be found in the Annex A.

<p>OSPAR Region I Arctic Waters</p> <input type="checkbox"/> Norwegian Sea	<p>OSPAR Region IV Bay of Biscay and Iberian Coast</p> <input type="checkbox"/> N. Bay of Biscay <input type="checkbox"/> Iberian Sea <input type="checkbox"/> Gulf of Cadiz	<p>HELCOM cont.</p> <input type="checkbox"/> Gulf of Finland <input type="checkbox"/> Northern Baltic Proper <input type="checkbox"/> Western Gotland Basin <input type="checkbox"/> Eastern Gotland Basin <input type="checkbox"/> Gulf of Riga <input type="checkbox"/> Gdansk Basin <input type="checkbox"/> Bornholm Basin <input type="checkbox"/> Arkona Basin <input type="checkbox"/> Kattegat <input type="checkbox"/> Belt Sea <input type="checkbox"/> The Sound
<p>OSPAR Region II Greater North Sea</p> <input type="checkbox"/> Dogger Bank <input type="checkbox"/> Southern North Sea <input type="checkbox"/> Northern North Sea <input type="checkbox"/> Channel <input type="checkbox"/> Norwegian Trench <input type="checkbox"/> Skagerrak	<p>OSPAR Region V Wider Atlantic</p> <input type="checkbox"/>	
<p>OSPAR Region III Celtic Sea</p> <input type="checkbox"/> Celtic Sea <input type="checkbox"/> Irish Sea <input type="checkbox"/> Irish & Scottish W. Coast	<p>HELCOM</p> <input type="checkbox"/> Bothnian Bay <input type="checkbox"/> Bothnian Sea <input type="checkbox"/> Archipelago Sea <input type="checkbox"/> Åland Sea	

10.6. Select the contaminant / pathogen analyses you have conducted for small cetaceans.

<input type="checkbox"/> POPs (e.g. PCBs)	<input type="checkbox"/> Radionuclides	<input type="checkbox"/> Brucella	<input type="checkbox"/> Others:
<input type="checkbox"/> Oil (e.g. PAHs)	<input type="checkbox"/> Toxic elements	<input type="checkbox"/> Microplastics	<input type="checkbox"/> Others:
<input type="checkbox"/> HAB toxins	<input type="checkbox"/> TBT	<input type="checkbox"/> Nanoplastics	<input type="checkbox"/> Others:
<input type="checkbox"/> Sewage	<input type="checkbox"/> Morbillivirus	<input type="checkbox"/> Others:	<input type="checkbox"/> Others:

Comments:

10.7. Does your country determine microplastics in small cetaceans?

- No.** Go to **Question 10.9.**
- Yes.** Please provide information in the table below:

Do you have a specific protocol to monitor microplastic in small cetaceans? **No** **Yes** (If yes, please provide details and weblinks or upload document.)

There is currently no agreed protocol between Parties. Best practice needs to be established to make sure that all results obtained are comparable between research institutes. In particular, it is essential to avoid contamination of samples during processing, e.g. with airborne microplastic fibres.

10.8. Relevant new research/work/collaboration on impact of pollution and hazardous substances (incl. microplastics) on small cetaceans in your country.

We need to capture information on new knowledge arising from monitoring schemes or other research projects, especially results which enhance our understanding of impacts of hazardous pollutants and/or assess their known or likely effects on small cetacean population status (e.g. considering PCB concentrations in blubber in relation to threshold for inhibition of reproduction). Where relevant, please report separately per pollutant, species and area.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study; web links to other relevant information)

10.9. If applicable, list any additional evidence/data of reduced impacts of pollutants on small cetaceans following implementation of national mitigation measures (e.g. decline of contaminant levels in blubber over time).

We do not have time series of fat soluble pollutants in small cetaceans from Danish waters.

10.10. Have there been any instances/issues related to pollution and hazardous substances in your country during the reporting period?

No.

Yes. Please provide details:

10.11. Is the perceived level of pressure from pollution and hazardous substances in your country increasing, decreasing, staying the same or unknown?

To be done per species where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
HP Harbour porpoise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No evidence
WBD White-beaked dolphin	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	No evidence
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

C. Habitat Change and Degradation (incl. potential physical impacts)

11. Ship Strikes

AIM: understanding the potential risk of ship strike as a cause of injury/death in small cetaceans.
Relevant Resolutions: 8.9, 8.2, 8.1, 6.1, 5.4

Ship strikes are collisions between vessels and cetaceans. In the last decades, evidence has emerged that ship strikes might occur more often than previously thought and can have a significant impact on small resident cetacean populations. Most research so far has focused on large cetaceans as those animals are often carried visibly into port at the bow of a vessel. For small cetaceans, ship strike events are not well documented.

Ship strike occurrence is directly linked to the frequency of shipping activity, including such directed at cetaceans, i.e. cetacean watching. To quantify this pressure, it is important to know what kind of vessels are involved in the strike, as well as the type, size and speed of the vessel. But it is also important to have information on the small cetaceans involved, in particular if the animals were engaged in certain behaviour such as feeding.

Ship strike can cause direct death or injury in cetaceans. Even collisions that are non-fatal might leave individuals with a reduction in their chance of survival. To determine the occurrence of ship-strikes, different sources are used. For small cetaceans, direct observations are the rarest. Necropsies of stranded animals can find evidence of characteristic trauma and photographs of animals that survived ship strikes can show typical injuries, such as marks left by propellers. One way to quantify how many animals in a population are impacted by ship strike is to assess the percentage of animals in a photo-identification catalogue that bear ship strike marks.

As this is still a not well documented threat, this section aims to obtain an overview of what kind of data and research is available and ongoing in the countries.

Questions:

11.1. Are there reports available in your country of ship strikes with small cetaceans from visual observations?

The International Whaling Commission (IWC) has a global database for ship strike incidents with small cetaceans. Whether or not your country is Party to the IWC, it is encouraged for countries to provide all ship strike incident information to the IWC database.

- No.**
- Yes.** Please provide information from the reporting period in the table below.

Has the ship strike been submitted to the IWC Ship Strike Database?	Region	Species (if known)	Date of incident (dd/mm/yy)	Contact (if available contact details of the observer)	Description of the observed incidence (Group size if other cetaceans present, dead/alive after collision, animal retrieval, animal being dead before collision, other information, vessel type/name, speed, damage to vessel or injuries to people)	Is there a necropsy report?	Websites, other information, photographs or publications: (provide links)
Choose an item.	Choose an item.	Choose an item.				Choose an item. Link:	
Choose an item.	Choose an item.	Choose an item.				Choose an item. Link:	
Choose an item.	Choose an item.	Choose an item.				Choose an item. Link:	

11.2. Are there reports in your country of vessel strikes from necropsies of stranded animals for the reporting period?

- No.**
- Yes.** Please provide information in the table below.

General Information			Necropsied animals		Comments
Year	Region	Species	Number of animals with cause of death ship strike (e.g. animals showing ship strike markings ²)		
			possible	certain	
	Choose an item.	Choose a species			
	Choose an item.	Choose a species			
	Choose an item.	Choose a species			

Provide source of information and database link if applicable:

² These can be sub-acute (animal dies not immediately after the ship-strike) or chronic lesions (scar forming starts, but there is likely infection/inflammation) or healed lesions that are unrelated to the cause of death (although they could have affected an animals health status in the longer term).

11.3. Does your country have a protocol in use to determine that a cause of death in post-mortem examination is due to a vessel strike?

- No.**
 Yes. Please provide information below:

11.4. Is there evidence in your country from existing photo-identification catalogues of small cetaceans of any non-lethal ship strike during the reporting period?

For populations of small cetaceans, such as bottlenose dolphins, one can identify those animals in photo-identification catalogues of animals that show ship-strike evidence (e.g. scars). Monitoring the % of animals that show ship strike evidence can be a useful tool to monitor the development of this threat.

- No.**
 Yes. Please provide information in the table below.

Overview of ship strike evidence in photo-identification catalogues

General Information			Photo-identified animals in the catalogue			
Year	Region	Species	# individual animals in the photo-identification catalogue	# animals showing ship strike markings (e.g. scars)		
				possible	certain	Unknown
	Choose an item.	Choose a species				
	Choose an item.	Choose a species				
	Choose an item.	Choose a species				

11.5. Do you have any other photographs or evidence of ship strikes outside of photo-identification catalogue?

- No.**
 Yes. Please provide details:

11.6. Relevant new research/work/collaboration on ship strike and its possible effects on small cetaceans in your country.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study; web links to other relevant information)

11.7. List any management/policy actions/relevant regulations/guidelines related to mitigating ship strike for small cetaceans (re-routing, tracking animals, ship speed limits) in your country and the year of implementation (current and planned).

Provide web links if available.

11.8. Have there been any other instances / issues of ship strike on small cetaceans in your country in the reporting period?

- No.**
 Yes. Please provide details:

11.9. Is the perceived level of pressure from ship strikes on small cetaceans in your country increasing, decreasing, staying the same or unknown?

To be done per species where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

C. Habitat Change and Degradation (incl. Potential physical impacts)

12. Climate change (incl. ocean acidification)

AIM: to illustrate progress on understanding, monitoring and mitigating negative effects of important and emerging climate change related impacts on small cetaceans.
Relevant Resolutions: 8.9, 8.4, 8.3, 7.4, 7.1, 6.1, 5.7

It is certain that climate change is altering the habitat of cetaceans. However, our understanding of how the predicted changes will impact different species and populations can be further developed by identifying issues and trends through reporting. CMS³ highlights the importance of addressing potential issues through the engagement of (1) researchers to better understand the underlying processes, as well as (2) conservation managers and policy makers to monitor changes and to mitigate negative impacts. Focus should be given to understanding tangible climate change effects relevant to cetaceans, such as changing ocean temperatures, prey depletion / prey range shifts, ocean acidification, increased frequency and intensity of ocean storms, changes in sea ice and weakening of the North Atlantic Drift. Such occurrences require that we gather evidence on the existence and nature of climate change effects on small cetaceans and evaluate current monitoring programmes and mitigation measures.

This section aims to provide an overview of what kind of activities are already ongoing in the member states to address climate change. The focus is on those actions specifically regarding cetaceans as well as the most likely impacts on their habitat and prey. Climate change possibly represents one of the most important future threat to the status of cetaceans in the ASCOBANS region. Direct effects may arise due to ocean warming, resulting in distribution shifts (generally northward) so that the animals continue to occupy waters with temperature regimes compatible with their thermal niches. Key indirect effects will result from changes in prey distribution and abundance due to ocean warming, ocean acidification and changes in ocean current systems.

Questions:

12.1. Does your country undertake monitoring that has potential to contribute to knowledge and identification of climate impacts on small cetaceans?⁴

Climate change will have a multiplicity of possible direct and indirect effects on small cetaceans. Attempting to quantify this is challenging, these questions are aimed to provide an overview of the type of monitoring programmes that are conducted that may provide indirect evidence of climate change on small cetaceans.

- No.** Go to **Question 12.3.**
- Yes.** Continue to **Question 12.2.**

12.2. Which effects has your country been monitoring during the reporting period?

Overview of monitoring activities related to climate change effects on small cetaceans. Please add additional direct or indirect effects if applicable.

Monitoring activity	Comments (if possible, provide contact / link to project)
<input checked="" type="checkbox"/> Changes in small cetacean abundance	National surveillance programme
<input checked="" type="checkbox"/> Changes in small cetacean distribution	National surveillance programme
<input type="checkbox"/> Changes in small cetacean migration or movement range	
<input type="checkbox"/> Changes in small cetacean migration or movement timing	

³ [CMS Resolution 12.21](#) on Climate Change and Migratory Species.

⁴ This refers to direct and indirect effects.

Monitoring activity	Comments (if possible, provide contact / link to project)
<input type="checkbox"/> Changes in small cetacean community structure	
<input type="checkbox"/> Changes in reproductive success and timing in small cetaceans	
<input type="checkbox"/> Changes in prey (fish) abundance and distribution	
<input type="checkbox"/> Changes in timing of prey (fish) spawning and migration	
<input type="checkbox"/> Changes in fishing effort	
<input type="checkbox"/> Changes in the occurrence of pathogens (from sampled individuals)	
<input type="checkbox"/> Incidences of algal blooms (if yes, where; specify year)	
<input type="checkbox"/> Other (specify):	

12.3. Relevant new research/work/collaborations which provide evidence/data about climate change, including its emerging potential issues and effects, on small cetaceans in your country.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study; web links to other relevant information); include the species concerned, the climate change effect observed, who did the work)

12.6. Have there been any instances / issues related to identified trends in small cetacean populations as a result of climate change in your country during the reporting period?

- No.
 Yes. Please provide details:

Unknown

12.7. Is the perceived level of pressure from climate change to small cetaceans in your country increasing, decreasing, staying the same or unknown?

To be done per species. basis where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

C. Habitat Change and Degradation (incl. potential physical impacts) - Mangler

13. Physical Habitat Change (e.g. from construction)

AIM: human activities in the Agreement Area have the potential to impact upon small cetaceans. Tracking those activities that cause physical habitat change and improving our understanding of their relative impacts will help shape any necessary mitigation action required.
 Relevant Resolutions: 8.11, 8.9, 8.6, 8.4, 8.3, 7.1, 6.2, 6.1, 5.7

This section aims to review new information on physical habitat change, e.g. from construction, and its impacts on small cetaceans, their prey and their habitat, and make recommendations to Parties and other relevant authorities for further action.

The collation of this information will contribute to the development of risk maps showing the spatial and temporal (by season) distribution of activities that have an impact on small cetaceans, including information provided in National Reports, taking into account the work done by other organizations.

Note: In the term “physical habitat change”, we include a) coastal/marine construction – artificial islands, harbours, bridges, oil/gas platforms, wind turbines, tidal turbines; and b) seabed damage – dredging, bottom trawling.

Questions:

13.1. Provide spatial information on locations (in form of maps and/or links) of physical habitat change in your country by activity type (dredging, marine construction, coastal construction) for the reporting period.

Many range states are mapping human activities to fulfil obligations under the EU Maritime Spatial Planning Directive, MSFD, OSPAR, and HELCOM; this information is relevant (though often not readily accessible) to ASCOBANS in understanding the extent and trends of human activities potentially impacting small cetaceans.

Region	Type of information (e.g. maps, GIS, reports)	Is the data available online?	Provide web link to data, or comment on unavailability
Choose an item.		<input type="checkbox"/> No <input type="checkbox"/> Yes	
Choose an item.		<input type="checkbox"/> No <input type="checkbox"/> Yes	
Choose an item.		<input type="checkbox"/> No <input type="checkbox"/> Yes	

13.2. Does your country have any reported cases of physical habitat change (e.g. dredging, marine construction, coastal construction) impacting small cetaceans during the reporting period?

- No.**
- Yes.** Please provide details:

Provide web links if available.

13.3. Does your country have any mitigation measures (regulations/guidelines) to prevent impacts on small cetaceans during physical habitat change activities (e.g. dredging, marine construction, coastal construction)?

- No.**
- Yes.** Please provide details below:

Overview of mitigation measures related to small cetaceans and physical habitat change activities.

Measure:	
Industry:	
Activity type:	
Has the measure been effective?	<input type="checkbox"/> No. <input type="checkbox"/> Yes. Comments:
Other information:	

Copy table if needed.

13.4. Relevant new initiatives/projects/publications (reports, theses, papers in journals, books) in your country during the reporting period on impacts from physical habitat change on small cetaceans (incl. title, organization, lead author).

Provide web links if available. Sveegaard S, Galatius A, Tougaard J 2017. Marine mammals in Finnish, Russian and Estonian waters in relation to the Nord Stream 2 project: Expert Assessment. Aarhus Universitet, DCE – Nationalt Center for Miljø og Energi. 80 s. (Scientific Report from DCE - Danish Centre for Environment and Energy, Bind 238).

13.5. Have there been any other instances/issues in your country regarding physical habitat change during the reporting period?

- No.**
- Yes.** Please provide details:

--

13.6. Is the perceived level of pressure from physical habitat change in your country increasing, decreasing, staying the same or unknown?

To be done per species basis where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence

Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

C. Habitat Change and Degradation (incl. potential physical impacts)

14. Other issues

14.1. List any other issues related to habitat change and degradation not mentioned above.

--

D. Management of Cumulative Impacts

15. Marine Spatial Planning

AIM: to provide information on existing and proposed marine spatial plans and processes during the reporting period that may impact small cetaceans.
 Relevant Resolutions 8.9, 8.6, 8.3

A growing demand for use of maritime space increases pressure on ecosystems and marine resources. Marine ecosystems with good environmental status provide notable benefits to a number of economic outputs. Implementation of an integrated spatial planning and management approach can better mitigate negative impacts from maritime activities on marine environments. Spatial planning can support sustainable marine development through coordinated, coherent and transparent decision-making and the encouragement and identification of multi-purpose uses in relevant projects. Marine spatial planning is essential when selecting the most appropriate siting for marine-based projects. Particular attention should be given to critical habitat and relevant species, such as small cetaceans, in order to achieve good environmental status.

ASCOBANS Parties have agreed on a number of resolutions that support the integration of marine spatial planning into development processes. Small cetaceans benefit from good marine spatial planning and this is highlighted in the resolutions. Countries are requested to provide information relevant to their country in this regard.

Questions:

15.1. Please provide information in regard to current and foreseen marine spatial planning.

National plans(s) and processes in force:	Denmark follow the regulations in Directive 2014/89/EU of the European parliament and of the council of 23 July 2014 establishing a framework for maritime spatial planning. The Danish Maritime Authority is responsible for establishing Denmark's first maritime spatial plan that will enter in to force in 2021
National plan(s) and processes in preparation:	The first maritime spatial plan is in progress
Further information, including links to online resources and maps where available:	https://www.dma.dk/Vaekst/Havplan/Pages/default.aspx
Transboundary plans(s) and processes in force:	
Transboundary plan(s) and processes in preparation:	
Further information, including links to online resources and maps where available:	

15.2. Have there been any other instances/issues in your country regarding marine spatial planning during the reporting period?

No.

Yes. Please provide details:

15.3. Relevant new research/work/collaboration on marine spatial planning in your country.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study; web links to other relevant information)

The ECOMAR project aiming to produce a suggestion for a marine spatial plan for Denmark was initiated in 2017 and will finalize in 2020: <https://niva-denmark.com/ecomar/>

Riemann B, Al-Hamdani Z, Olafsson AS, Hasler B, Kaae BC, Murray C, Göke C, Kallenbach E, Olesen HJ, Nabe-Nielsen J, Tougaard J, Andersen JH, Egekvist J, Leth JO, Dahl K, Christoffersen M, Zandersen M, Termansen M, Sveegaard S, Harvey T, red. 2019. Maritim arealplanlægning i Øresund: Scenarier for udvikling af erhvervs-, samfunds- og miljømæssige forhold. Aarhus: Aarhus Universitetsforlag. 174 s. (Miljøbiblioteket; Nr. 6).

E. Area-based Conservation / Marine Protected Areas

16. Protected areas, e.g. Natura 2000 sites

AIM: to provide information on existing and proposed marine protected areas with small cetaceans as part of the selection criteria.
Relevant Resolutions: 5.7

Marine protected areas (MPAs) are considered under numerous agreements (including the Convention on Biological Diversity, Habitats Directive, Bern Convention, Ramsar Convention, OSPAR Convention, HELCOM, ACCOBAMS, MSFD) as a tool to achieve conservation goals. Part of ASCOBANS remit is to provide expert advice on the conservation and management of small cetaceans. This includes inviting Parties and Range States to continue or initiate research aimed at locating areas of special importance to the survival (in particular breeding and feeding) of small cetaceans as suitable sites for the establishment of protected areas. This also includes advising on appropriate management measures in these areas, on their own or in the context of other intergovernmental bodies to ensure the protection of small cetaceans.

To monitor the progress of such work to fulfil the obligations of Resolution 5.7 and actions in the workplan, ASCOBANS requires information (e.g. location, species, status, spatial data, management plans and monitoring) on existing and proposed marine protected areas with small cetaceans as part of the selection criteria.

It is of particular interest to ASCOBANS to obtain an overview of the current scale of marine protected areas and to review best practice approaches to management of marine protected areas, in order to make recommendations to Parties.

Questions:

16.1. Does your country have MPAs (existing or proposed) where small cetaceans are the primary reason for the (proposed) designation?

No.

Yes. Please provide details/updates in table below: please find ALL details on all harbour porpoise MPA in re national progress report of 2018.

Name (full name of MPA)	ASCOBANS Action Plan	Region	Size (km ²)	Species	MPA status	Date of designation (if applicable)	Legislation/ directive (e.g. Habitats Directive)	Is there a site-specific management plan in place?	Link to shapefile and/or online map	Link to any other online information
	<input type="checkbox"/> Jastarnia Plan <input type="checkbox"/> North Sea Plan <input type="checkbox"/> WBBK Plan <input type="checkbox"/> Common Dolphin SAP <input type="checkbox"/> Not Applicable			Choose an item. (Copy drop-down to add more species)	<input type="checkbox"/> Designated <input type="checkbox"/> Submitted <input type="checkbox"/> Under consultation <input type="checkbox"/> Recommended <input type="checkbox"/> Not Applicable	dd/mm/yy		<input type="checkbox"/> No. <input type="checkbox"/> Yes. Link:		
	<input type="checkbox"/> Jastarnia Plan <input type="checkbox"/> North Sea Plan <input type="checkbox"/> WBBK Plan <input type="checkbox"/> Common Dolphin SAP <input type="checkbox"/> Not Applicable	Choose an item.		Choose an item. (Copy drop-down to add more species)	<input type="checkbox"/> Designated <input type="checkbox"/> Submitted <input type="checkbox"/> Under consultation <input type="checkbox"/> Recommended <input type="checkbox"/> Not Applicable	dd/mm/yy		<input type="checkbox"/> No. <input type="checkbox"/> Yes. Link:		

16.2. Does your country have MPAs (existing or proposed) with small cetaceans are forming part of the selection criteria?

No.

Yes. Please provide details/updates in table below: please find ALL details on all harbour porpoise MPA in re national progress report of 2018.

Name (full name of MPA)	ASCOBANS Action Plan	Region	Size (km ²)	Species forming part of selection criteria	MPA status	Date of designation (if applicable)	Legislation/ directive (e.g. Habitats Directive)	Is there a site-specific management plan in place?	Link to shapefile and/or online map	Link to any other online information
	<input type="checkbox"/> Jastarnia Plan <input type="checkbox"/> North Sea Plan <input type="checkbox"/> WBBK Plan <input type="checkbox"/> Common Dolphin SAP <input type="checkbox"/> Not Applicable	Choose an item.		Choose an item. (Copy drop-down to add more species)	<input type="checkbox"/> Designated <input type="checkbox"/> Submitted <input type="checkbox"/> Under consultation <input type="checkbox"/> Recommended <input type="checkbox"/> Not Applicable	dd/mm/yy		<input type="checkbox"/> No. <input type="checkbox"/> Yes. Link:		
	<input type="checkbox"/> Jastarnia Plan <input type="checkbox"/> North Sea Plan <input type="checkbox"/> WBBK Plan <input type="checkbox"/> Common Dolphin SAP <input type="checkbox"/> Not Applicable	Choose an item.		Choose an item. (Copy drop-down to add more species)	<input type="checkbox"/> Designated <input type="checkbox"/> Submitted <input type="checkbox"/> Under consultation <input type="checkbox"/> Recommended <input type="checkbox"/> Not Applicable	dd/mm/yy		<input type="checkbox"/> No. <input type="checkbox"/> Yes. Link:		

16.3. Provide information on management measures, including regulations/guidelines, particularly relevant to small cetaceans in MPAs listed above. Including any temporal/spatial restriction of activities (i.e. seasonal fishery closures).

In order to monitor implementation of MPA management measures and make recommendations on best practice, we need to understand what management measures are being used and be aware of examples of what approaches are proving effective.

Site Name	Pressure (add pressures per site as applicable)	Measure (add measures per pressure per site as applicable)

16.4. Provide details of existing or proposed monitoring schemes related to the effectiveness of MPAs / management measures listed above for small cetaceans.

The MPAs designated under the Habitat Directive are all monitored since 2011. Latest report here (in Danish): <https://dce2.au.dk/pub/SR355.pdf>

16.5. Relevant new research/work/collaboration relating to MPAs in your country.

In order to plan future approaches for MPA management and monitoring we need to be aware of current gaps and emerging issues.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study; web links to other relevant information; include the species concerned, who did the work)

Section III: Surveys and Research

A. Biological Information (per species)

1. Abundance estimates

AIM: to provide new information on abundance and life history parameters of small cetaceans during the reporting period.
Relevant Resolutions: 8.5, 8.4, 8.3, 7.1, 6.1, 5.7, 5.5, 4.7, 3.5, 3.3

Abundance estimates and information on life history are of critical importance for the determination of broader species attributes such as populations levels, health and overall status. These parameters can contribute towards determination of GES and provide a reference for mortality events. Abundance and life history parameters are typically assessed from monitoring programmes. Fluctuations in these parameters can provide insight into trends in populations. Information on abundance and life history parameters can inform the need for mitigation measures, and regional assessment of these parameters allows for a more spatially targeted and concentrated response to support national assessments.

In the ASCOBANS Area, small cetacean abundance and life history should be monitored in response to a number of ASCOBANS resolutions. Continued monitoring of these parameters is essential to understanding current status and trends.

Questions:

1.1. Please submit the relevant information on national dedicated surveys on abundance and distribution during the reporting period into the table below.

If additional space is required, please submit the information in an excel table. Attach maps separately, clearly marking which survey they apply to. Note: Information relevant to SCANS-III is to be provided in question 1.2.

Location	Project	Time period	Method	Species	Animal abundance (including confidence limits or CV)	Link to project/ report/ publication
CPOD monitoring in MPAs	NOVANA	2011 and ongoing	PAM	HP Harbour porpoise		https://dce2.au.dk/pub/SR355.pdf
			(e.g. line transect,	Choose an item.		

			Photo ID, etc.)			
			(e.g. line transect, Photo ID, etc.)	Choose an item.		

Relevant information on distribution during the reporting period:

(Include species, method, time period, weblinks, and other relevant information)

1.2. Other relevant new research/work/collaboration on abundance estimates in regard to small cetaceans in your country during the reporting period.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study and information relevant to SCANS-III; web links to other relevant information)
See SCANS-III report

1.3. Is the abundance of species in your country increasing, decreasing, staying the same or unknown? To be done per species basis where applicable.

Species	Increasing	Decreasing	Staying the same	Unknown	Nature of the evidence
HP Harbour porpoise	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	For the Belt Sea population
HP Harbour porpoise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	For the Baltic Sea population
Choose an item.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not applicable. Comments:

A. Biological Information (per species)

2. New information on life history parameters

2.1. Is there new information on the following life history parameters in the reporting period?

Age of sexual and physical maturity	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Please describe: Species: Choose an item.
Inter-birth intervals	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Please describe: Species: Choose an item.
Calf and adult mortality rates	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Please describe: Species: Choose an item.
Potential reproductive span/capacity	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Please describe: Species: Choose an item.
Longevity	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes Please describe: Emilie Stepien et al. has a paper in review at RSOS compiling growth data on a large number of porpoises in captivity, The data suggest a different length-to-age- function that what has been assumed from bycaught data. Species: HP Harbour porpoise
Diet	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Please describe: Species: Choose an item.
Age and sex structure	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes Please describe: Species: Choose an item.
Other relevant factors	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes Please describe: DK has a limited monitoring program for blubber thickness. Species: HP Harbour porpoise

For each life history parameter, provide web links and details where applicable and add more species if necessary.

B. Monitoring Programmes

3. Overview of current monitoring and survey schemes

AIM: to provide information on the progress of monitoring programmes, relevant methodologies and aims thereof, and status of small cetaceans during the reporting period.
Relevant Resolutions: 8.11, 8.9, 8.8, 8.5, 8.4, 8.3, 7.3, 7.1, 6.1, 5.7

Monitoring programmes provide important data on biological and environmental attributes, such as population status, abundance and spatial-temporal distribution. They create opportunities for new research and development, including potential improvements to methodology for monitoring in terms of accuracy, practicality and cost efficiency.

In the ASCOBANS Area, application of coherent monitoring programmes focused on small cetaceans, which collect and provide objective, robust and comparable data, is a key component in understanding and improving the conservation status of small cetaceans through appropriate management. Parties have agreed to design, implement and support relevant monitoring programmes through a number of resolutions. Such efforts are also supported by legislation from a number of bodies which identify monitoring as a requirement in management systems. Additionally, Parties have been encouraged to coordinate their monitoring programmes, which promotes international cooperation and synergies. Parties have also been encouraged to review such monitoring programmes and propose improvements for the betterment of conservation efforts.

It is the interest of ASCOBANS to understand the current monitoring programmes utilised, their outputs, and future activities in the Agreement Area. Countries are requested to provide information relevant to their activities as well as potential improvements to such programmes and efforts.

Questions:

3.1. Are there national monitoring programmes that enable assessment of the Conservation Status of small cetaceans in your waters (i.e. provides abundance estimates and/or life history parameters and information on pressures)?

- No.**
- Yes.** Please provide an overview in the table below.

Within MPAs	<p>Approach:</p> <p> <input type="checkbox"/> Line transect surveys <input type="checkbox"/> Photo-ID <input type="checkbox"/> Strandings <input checked="" type="checkbox"/> Passive Acoustic Monitoring <input type="checkbox"/> Other, please specify: </p>
	<p>Target Species: (Copy drop-down to add more species) HP Harbour porpoise</p>
	<p>Institution(s): (Name, website, etc)</p>
Wider Seas	<p>Approach:</p> <p> <input checked="" type="checkbox"/> Line transect surveys <input type="checkbox"/> Photo-ID <input type="checkbox"/> Strandings <input type="checkbox"/> Passive Acoustic Monitoring <input type="checkbox"/> Other, please specify: </p>
	<p>Target Species: (Copy drop-down to add more species) HP Harbour porpoise</p>
	<p>Institution(s): Aarhus University conduct the monitoring https://bios.au.dk/en/researchconsultancy/research-areas/marine-mammal-research/ and the Danish Ministry of Environment and Food provides funding.</p>

3.2. Please provide the relevant information with regards to aerial surveying activities.

Number of surveys	Area covered	Species	Timeframe of survey
1	Belt Sea area, SCANS-III	HP Harbour porpoise	July 2016
1	Danish Skagerrak	HP Harbour porpoise	Annual surveys in July
1	Danish Southern North Sea	HP Harbour porpoise	Annual surveys in July

3.3. Please provide the relevant information with regards to Passive Acoustic Monitoring (PAM).

Location of moored instruments	Timeframe of survey	Species	Make and model of instruments used
Northern Little Belt	2019-2020	HP Harbour porpoise	C-POD, Chelonia
Flensburg Fjord	2019-2020	HP Harbour porpoise	C-POD, Chelonia
Waters around Bornholm	2018-2019	HP Harbour porpoise	C-POD, Chelonia
Central Great Belt	2017-2018	HP Harbour porpoise	C-POD, Chelonia
Kalundborg Fjord	2017-2018	HP Harbour Porpoise	C-POD, Chelonia

3.4. Are any of these programmes carried out in collaboration with other countries?

No.

Yes. Describe below:

Programme	Collaborators	Links
SCANS-III	Sweden, Germany	https://synergy.st-andrews.ac.uk/scans3/

3.5. Please provide details on any planned activities relevant to monitoring programmes.

In 2020, MiniSCANS-II will be conducted. An aerial survey of the Belt Sea population in collaboration with Germany and Sweden.

3.6. Relevant outputs/findings from monitoring programmes to note.

Species	Relevant outputs
HP Harbour porpoise	Monitoring report 2018 https://dce2.au.dk/pub/SR355.pdf
Choose an item.	(Provide web links if available)
Choose an item.	(Provide web links if available)

B. Monitoring Programmes -

4. Other research (not mentioned elsewhere in Section II, III or IV)

4.1. Please provide relevant information in regard to other research (not mentioned elsewhere in Sections II, III, IV).

Project name	Institution	Duration	Aim(s)/Objective(s)	Method

Section IV: Use of Strandings Records

A. Stranding Network and Strandings - Line

AIM: to provide information on stranding events and demonstrate progress of stranding networks in understanding, monitoring and mitigating strandings of small cetaceans.
 Relevant Resolutions: 8.10, 8.7, 8.4, 8.3, 7.4, 7.3, 7.1, 6.1, 5.7

Stranding of cetaceans is an ever-present occurrence and analysis through necropsy and sampling can provide indications of reason for injury and death. Stranding numbers also provide information on population status, abundance and distribution. Effective response to strandings contributes to the maintenance of favourable conservation status of small cetaceans and also has implications for animal welfare. Comprehensive stranding networks are a critical asset in managing small cetacean strandings and have resulted in large numbers of animals rescued and returned to sea. These networks also have the capacity to guide the public on animal welfare, human health and safety considerations during stranding events.

In the effort to mitigate the anthropogenic causes of these occurrences, Parties have agreed to measures through a number of resolutions. Continued monitoring of stranding causation and further developing guidance

for best practices in stranding response and necropsies was identified by Parties as important tasks to pursue, as was setting up stranding response networks. This information is to align with appropriate sampling practices and countries should ensure that the data is available for researchers. Additionally, development and support of international strandings databases and regular reporting is conducted through relevant research institutes and stranding schemes. ASCOBANS Secretariat encourages the ongoing funding and support of engagement with organizations for further development of guidelines, best practices and maintaining dataflow for capacity building across stranding networks.

To better understand the extent to which stranding events occur and how these events are managed, it is the interest of ASCOBANS for countries to provide the relevant information on these occurrences within the Agreement Area, procedures undertaken in response to stranding events, necropsies and information on stranding networks.

Questions:

1.1. Is there a national stranding network in place?

No. Go to **Question 1.4.**

Yes. Please provide details:

Denmark has a contingency plan for stranded marine mammals, but not a network ensuring that all or a large part of the strandings are recorded. A maximum of 125 stranded harbour porpoises has been reported in a year. The animals that are reported are filed to a database by Denmark's Maritime Museum (FIMUS), Esbjerg. A yearly report is produced. Up to 25 harbour porpoises can be collected for necropsy per year. The purpose of the necropsies is to assess cause of death. Relevant institutions have access to sampling the animals during necropsies.

1.2. Does the national stranding network cover the whole, or part of the reporting country's coastline?

Whole coastline.

Part of the coastline. Please provide details:

There is no stranding network per se. There is a general lack of knowledge in the public about the need for reporting stranded marine mammals. Reports of stranded porpoises are therefore incidental.

1.3. Are necropsies carried out to determine cause of death?

No.

Yes. Please provide details:

Up to 25 harbour porpoises can be collected for necropsy per year. The purpose of the necropsies is to assess cause of death. Relevant institutions have access to sampling the animals during necropsies

1.4. Is there a database of strandings?

No. Go to question 1.6.

Yes. Continue to question 1.5.

1.5. Is the data available online or downloadable on request?

No.

Yes. Please provide details:

The database can be exported on request.

1.6. Provide details for the institution(s) responsible for a stranding database, responding to live-strandings, collection of carcasses, and for conducting necropsies.

Responsible Institution	Responsibility	Phone number	Email	Website
Denmarks museum for the sea (FIMUS)	<input checked="" type="checkbox"/> Responding to live-strandings <input checked="" type="checkbox"/> Collection of carcasses <input type="checkbox"/> Necropsies	+45 7612 2000	fimus@fimus.dk (Charlotte Bie Thøstesen)	www.fimus.dk

	<input checked="" type="checkbox"/> Stranding database			
DTU-CfD (Center for Diagnostics)	<input checked="" type="checkbox"/> Responding to live-strandings <input type="checkbox"/> Collection of carcasses <input checked="" type="checkbox"/> Necropsies <input type="checkbox"/> Stranding database	+45 93 51 16 45	hpet@vet.dtu.dk (Heidi Huus Petersen)	www.dtu.dk
Aarhus University	<input type="checkbox"/> Responding to live-strandings <input checked="" type="checkbox"/> Collection of carcasses <input type="checkbox"/> Necropsies <input type="checkbox"/> Stranding database	+45 30183148	lky@bios.au.dk (Line A. Kyhn)	https://bios.au.dk/forskningraadgivning/forskningsomraader/havpattedyrfor skning/ SITE UNDER REVISION
University of Copenhagen	<input type="checkbox"/> Responding to live-strandings <input checked="" type="checkbox"/> Collection of carcasses <input type="checkbox"/> Necropsies <input type="checkbox"/> Stranding database	+45 42661525	morten.olsen@sun.d.ku.dk Morten Tange Olsen	www.snm.ku.dk
Nature Agency (Ministry of Environment and Food of Denmark)	<input checked="" type="checkbox"/> Responding to live-strandings <input checked="" type="checkbox"/> Collection of carcasses <input type="checkbox"/> Necropsies <input type="checkbox"/> Stranding database	Find the local unit	Find the local unit here: https://naturstyrelsen.dk/lokale-enheder/	https://eng.naturstyrelsen.dk/

1.7. Are any cases photographed, measured or sampled even if not collected for necropsy?

No.

Yes. Please provide details:

Sometimes, but not as a general rule.

1.8. Provide details relevant for recorded stranding events during the reporting period.

Reporting year	Species	Region	Total animals stranded	Number of dead animals	Number of animals stranding alive	Response to live stranding (describe # of successful cases and methods used)
2019	HP Harbour porpoise	Denmark	We don't know since the monitoring of strandings is very sporadic as described above		0	

1.9. Provide details relevant to necropsies.

Protocol used for dissection methodologies, collection of samples etc.	Number of carcasses necropsied	What causes of death were identified? (add percentage if available)	Comment
National protocol	28	Assumed bycaught (no other cause of death established) Bacterial infections Pneumonia/ Bronchopneumonia Parasite infections Depredation by supposedly grey seal	

1.10. Other relevant new research/work/collaboration on strandings and stranding networks in your country.

(List initiatives/ projects (incl. PhD, MSc); publications (reports, theses, papers in journals, books) from any study; web links to other relevant information)

Section V: Legislation

A. Overview of Legislative Framework

AIM: to provide information on national, regional and international legislation and guidelines relevant to small cetaceans during the reporting period.
 Relevant Resolutions: 8.10, 8.9, 8.8, 8.6, 8.5, 8.4, 8.3, 7.1, 6.2, 6.1, 5.7, 5.4

Legislation and guidelines are a key component of efforts to support favourable conservation status of small cetaceans in the ASCOBANS Area. A number of existing legislation and guidelines bear relevance to conservation efforts for small cetaceans on national, regional and international scales. Regular updating and adaptation of guidelines and legislation (where applicable) can ensure ongoing prevention, minimization and reduction of negative impacts of marine activities on small cetaceans. In addition, these actions support transparent and reliable management.

Parties to ASCBOANS have agreed to support the requisition, development and the implementation of legislation and guidelines to assess, minimize and mitigate pressures on favourable conservation status of small cetaceans in the Agreement Area. Parties have committed to these actions through a number of resolutions regarding pressures known to be detrimental to small cetaceans. It is in the interest of ASCOBANS for countries to provide information on current and foreseen national, regional and international legislation and guidelines relevant to small cetaceans in the Agreement Area.

Questions:

1.1. Please provide the applicable information regarding legislation and guidelines relevant to small cetaceans in the table below.

Are national guidelines relevant for small cetaceans currently in place in your country?	<input type="checkbox"/> No. <input checked="" type="checkbox"/> Yes. Please identify the guidelines concerned: https://ens.dk/sites/ens.dk/files/Vindenergi/guideline_underwaternoise_0.pdf
Is national legislation relevant for small cetaceans currently in place in your country?	<input type="checkbox"/> No. <input checked="" type="checkbox"/> Yes. Please identify the legal statuses concerned: All small cetaceans are protected under the Habitat Directive, the Marine Strategy Framework Directive and CFP
Are regional and/or international guidelines relevant for small cetaceans currently in place in your country?	<input checked="" type="checkbox"/> No. <input type="checkbox"/> Yes. Please identify the guidelines concerned:
Is regional and/or international legislation relevant for small cetaceans currently in place in your country?	<input type="checkbox"/> No. <input checked="" type="checkbox"/> Yes. Please identify the legal statuses concerned: EU habitats directive and MSFD and CFP

1.2. Have there been any instances/issues related to national, regional and/or international legislation during the reporting period in your country?

- No.
 Yes. Please provide details:

--

Section VI: Information and Education

A. Education and outreach

AIM: to determine if there are gaps in the outreach and education activities and if additional material should be produced in your country or by the Secretariat (e.g. on certain themes, species, regions, languages, for certain target audiences).
 Relevant Resolutions: 8.13, 8.3, 8.2, 5.8,

ASCOBANS Communication, Education and Public Awareness (CEPA) Plan⁵ was presented at the 17th Meeting of the Advisory Committee. The purpose of the CEPA Plan was to identify actions and activities to be undertaken by the Secretariat, Parties and relevant partners. In addition, the Advisory Committee recommended the following overarching principles: (i) Carefully identifying the audience – e.g. children, students, policy makers, fishers – and making materials appropriate to each particular audience; (ii) Noting that different localities, communities and cultures may require different approaches; (iii) Preparing outreach and education materials in relevant languages (including on the website); and (iv) Building joint initiatives with ‘partner’ organizations and others. The CEPA aimed for more effective engagement with audiences, greater impact upon audiences, closer relationship with key conservation issues; more effective connection with educational, fundraising and promotional initiatives; and more effective and easily understood communication of relevant areas of science. In this spirit, the purpose of this section is to highlight successes and to identify potential gaps in outreach and education activities and related materials.

Questions:

1.1. List education/outreach activities in the reporting period in your country, which are of relevance to conservation of small cetaceans in the ASCOBANS Area (e.g. activities during the International Day of the Baltic Harbour Porpoise in May)

Organizer	Name of activity (incl. translation to English, where applicable)	Date(s)	Location	Target audience (general public, scientists, children, fishers; other – please state)	Links (for further information)

1.2. List current information/outreach materials produced in your country, which are of relevance to ASCOBANS Area and species.

Name of publication (incl. translation into English, where applicable)	Author(s)	Publisher	Year	Links (to download publication)	Can ASCOBANS distribute the link to publication for outreach purposes?
Teaching material to public and high schools	Several	Kiel Univ.	2019	https://marine-mammals.com/dk/	<input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
					<input type="checkbox"/> No <input type="checkbox"/> Yes

1.3. List other organizations engaged in outreach relevant to the ASCOBANS Area, incl. web links.

- Department of Bioscience, Aarhus University, Denmark. <http://bios.au.dk/en/>
- Aventura Charter, Galeasen AVENTURA, Søndergade 21, DK 5500 Middelfart, www.galeasen-aventura.dk
- Fjord&Belt, Margrethes Plads 1, 5300 Kerteminde, www.fjordbaelt.dk
- The website <http://www.hvaler.dk/> run by Carl C. Kinze collects all incidental sightings. They also have a facebook site: <https://www.facebook.com/groups/hvaler.dk/>
- Middelfart Museum, <https://www.middelfart-museum.dk/det-gamle-laug>
- Øresund Aquarium, University of Copenhagen, Strandpromenaden 5, 3000 Helsingør, <https://www.oresundsakvariet.ku.dk/english/>

⁵ See [AC17 Report](#), Annex 10 (starting on page 65).

- The Middelfart harbour porpoise Listening Station: <http://bios.au.dk/en/about-bioscience/organisation/marine-mammal-research/projects/porpoiselivestreaming/>
- Scala L, Pierpoint C, Teilmann J, Petersen KV, Narramore J, Morris J. 2017. Middelfart listening station: A Static Acoustic Monitoring Solution for Monitoring Harbour Porpoise & Ship Traffic in a Marine Protected Area. ECO Magazine. 34-37.

1.4. List other initiatives/work/collaboration relevant to the ASCOBANS Area that are not included above.

1.5. List any gaps in your country's outreach relevant to the ASCOBANS Area. What would be needed to fill these gaps?

1.6. Resources permitting, are there any materials that you think the ASCOBANS Secretariat should produce?

No.

Yes. Please describe what, and why:

Section VII: Other Matters

A. Other information or comments important for the Agreement:⁶

B. Difficulties in implementing the Agreement:

The lack of sufficient information on bycatch covering both the Baltic and the Belt Sea population makes it impossible to assess the treat level and decide on mitigations.


⁶ Opportunity to include other information relevant to the topics covered in this form but which are missing.


Annex A: Overview of the sub-regions as defined by OSPAR and HELCOM, and areas as defined by ICES.

Drop-down menu sub-regions OSPAR and HELCOM

Choose an item.

<p>OSPAR Region I Arctic Waters</p> <ul style="list-style-type: none"> <input type="checkbox"/> Norwegian Sea <p>OSPAR Region II Greater North Sea</p> <ul style="list-style-type: none"> <input type="checkbox"/> Dogger Bank <input type="checkbox"/> Southern North Sea <input type="checkbox"/> Northern North Sea <input type="checkbox"/> Channel <input type="checkbox"/> Norwegian Trench <input type="checkbox"/> Skagerrak <p>OSPAR Region III Celtic Sea</p> <ul style="list-style-type: none"> <input type="checkbox"/> Celtic Sea <input type="checkbox"/> Irish Sea <input type="checkbox"/> Irish & Scottish W. Coast 	<p>OSPAR Region IV Bay of Biscay and Iberian Coast</p> <ul style="list-style-type: none"> <input type="checkbox"/> N. Bay of Biscay <input type="checkbox"/> Iberian Sea <input type="checkbox"/> Gulf of Cadiz <p>OSPAR Region V Wider Atlantic</p> <ul style="list-style-type: none"> <input type="checkbox"/> <p>HELCOM</p> <ul style="list-style-type: none"> <input type="checkbox"/> Bothnian Bay <input type="checkbox"/> Bothnian Sea <input type="checkbox"/> Archipelago Sea <input type="checkbox"/> Åland Sea 	<p>HELCOM cont.</p> <ul style="list-style-type: none"> <input type="checkbox"/> Gulf of Finland <input type="checkbox"/> Northern Baltic Proper <input type="checkbox"/> Western Gotland Basin <input type="checkbox"/> Eastern Gotland Basin <input type="checkbox"/> Gulf of Riga <input type="checkbox"/> Gdansk Basin <input type="checkbox"/> Bornholm Basin <input type="checkbox"/> Arkona Basin <input type="checkbox"/> Kattegat <input type="checkbox"/> Belt Sea <input type="checkbox"/> The Sound
---	--	--






A map of the Baltic Sea drainage basins (catchment area), and marine subdivisions, including basins.

1. Bothnian Bay
2. Bothnian Sea
3. Archipelago Sea
4. Åland Sea
5. Gulf of Finland
6. Northern Baltic Proper
7. Western Gotland Basin
8. Eastern Gotland Basin
9. Gulf of Riga
10. Gdansk Basin
11. Bornholm Basin
12. Arkona Basin
13. Kattegat
14. Belt Sea
15. The Sound

Drop-down menu of ICES Areas

Choose an item.

Area	Area Description	Area	Area Description
27.3	Skagerrak, Kattegat, Sound, Belt and Baltic Seas	27.7.b	West of Ireland
27.3.a	Skagerrak and Kattegat	27.7.c	Porcupine Bank
27.3.a.20	Skagerrak	27.7.c.1	Porcupine Bank / NEAFC Reg. Area
27.3.a.21	Kattegat	27.7.c.2	Porcupine Bank / Non-NEAFC Reg. Area
27.3.b.c	Sound and Belt Sea	27.7.d	Eastern English Channel
27.3.b.23	Sound	27.7.e	Western English Channel
27.3.c.22	Belt Sea	27.7.f	Bristol Channel
27.3.d	Baltic Sea	27.7.g	Celtic North Sea
27.3.d.24	Baltic West of Bornholm	27.7.h	Celtic Sea South
27.3.d.25	Southern Central Baltic – West	27.7.j	SW of Ireland – East
27.3.d.26	Southern Central Baltic – East	27.7.j.1	SW of Ireland – East – Parts of the NEAFC Reg. Area
27.3.d.27	West of Gotland	27.7.j.2	SW of Ireland – East – Non-NEAFC Reg. Area
27.3.d.28.1	Gulf of Riga	27.7.k	SW of Ireland - West
27.3.d.28.2	East of Gotland	27.7.k.1	SW of Ireland – West – Part of the NEAFC Reg. Area
27.3.d.29	Archipelago Sea	27.7.k.2	SW of Ireland – West – Part of the Non-NEAFC Area I
27.3.d.30	Bothnian Sea	27.8	Bay of Biscay
27.3.d.31	Bothnian Bay	27.8.a	Bay of Biscay North
27.3.d.32	Bay of Finland	27.8.b	Bay of Biscay Central
27.4	North Sea	27.8.c	Bay of Biscay South
27.4.a	Northern North Sea	27.8.d	Bay of Biscay Offshore
27.4.b	Central North Sea	27.8.d.1	Bay of Biscay Offshore – Part of the NEAFC Reg. Area
27.4.c	Southern North Sea	27.8.d.2	Bay of Biscay Offshore – Non-NEAFC Reg. Area
27.6	Rockall, NW Coast of Scotland and N. Ireland	27.8.e	Wet of Bay of Biscay
27.6.a	NW Coast of Scotland and N. Ireland	27.9	Portuguese Waters
27.6.b	Rockall	27.9.a	Portuguese Waters – East
27.6.b.1	Rockall / NEAFC Reg. Area I	27.9.b	Portuguese Water - West
27.6.b.2	Rockall / Non-NEAFC Reg. Area	27.9.b.1	Portuguese waters – West Part of the NEAFC Reg. Area
27.7	Irish Sea, West of Ireland, Porcupine Bank, Eastern and Western English Channel, Bristol Channel, Celtic Sea North and South, and Southwest of Ireland – East and West	27.9.b.2	Portuguese waters – Non-NEAFC Reg. Area
27.7.a	Irish Sea		



Annex B: Species covered by ASCOBANS

Code	Common name	Scientific name
AWSD	Atlantic white-sided dolphin	<i>Lagenorhynchus acutus</i>
BBW	Blainville's beaked whale	<i>Mesoplodon densirostris</i>
BD	Bottlenose dolphin	<i>Tursiops truncatus</i>
CBW	Cuvier's beaked whale	<i>Ziphius cavirostris</i>
CD	Short-beaked Common Dolphin	<i>Delphinus delphis</i>
FKW	False killer whale	<i>Pseudorca crassidens</i>
GBW	Gervais' beaked whale	<i>Mesoplodon europaeus</i>
HP	Harbour Porpoise	<i>Phocoena phocoena</i>
KW	Killer Whale	<i>Orcinus orca</i>
LFPW	Long-finned pilot whale	<i>Globicephala melas</i>
NBW	Northern bottlenose whale	<i>Hyperoodon ampullatus</i>
PKW	Pygmy killer whale	<i>Feresa attenuata</i>
PSW	Pygmy sperm whale	<i>Kogia breviceps</i>
RD	Risso's dolphin	<i>Grampus griseus</i>
RTD	Rough-toothed dolphin	<i>Steno bredanensis</i>
SBW	Sowerby's beaked whale	<i>Mesoplodon bidens</i>
SD	Striped dolphin	<i>Stenella coeruleoalba</i>
SFPW	Short-finned pilot whale	<i>Globicephala macrorhynchus</i>
TBW	True's beaked whale	<i>Mesoplodon mirus</i>
WBD	White-beaked dolphin	<i>Lagenorhynchus albirostris</i>

Drop down menu small cetacean species:

Choose an item.