





Project iNOVPESCA: Cetacean interactions with Algarve (Southern Portugal) coastal fisheries and mitigation approaches

ANA MARÇALO, Flávia Carvalho, Sofia Alexandre, Alexandra Pires,
Rúben Gregório, Luís Bentes, Pedro Monteiro, Frederico Oliveira,
Mafalda Rangel, Adriana Ressurreição, Karim Erzini, Jorge Gonçalves

amarcalo@ualg.pt

Overview: Fisheries in the Algarve

- 700-800 boats
- 34 % national local/coastal fleet
- 3 types of fleets: Demersal trawl; Purse seining; Polyvalent
- ICES area IXa





Overview: Interactions of cetaceans and PT fisheries

Previous projects (Safesea_EEAGrants 2008-2010; LIFE MarPro 2011-2016)

• Bycatch

- Improved monitoring of bycatches: strandings, observers, interviews, logbooks, video
- All gears; gears of most concern are bottom set-nets (year-round), purse seine (seasonal), beach seine (seasonal)
- Several cetacean species bycaught in Bottom set nets (e.g. +++ common dolphin, + striped dolphin, + harbor porpoise and + bottlenose dolphins); No robust bycatch estimates
- **Common dolphin** interacts with purse seine; (96 %; *Marçalo et al 2015*)
 - > 50 % released alive; bycatch estimates: 200-400 common dolphins encircled/100-200 dead per year; + **sardine**

- **Depredation** with gear and fish catch damage; **bottom set nets**; **bottlenose dolphins**; south of the country (**Algarve**); +++ **gillnets** target hake, ++ gillnets other species, ++ trammel nets




Overview: Past mitigation in Algarve

Fumunda pingers (Purse seine and Gillnets; 2014 – 2015)



10 KHZ and 70 KHZ



FishTeck Banana Pingers (Gillnets; 2017)



40 KHZ




Purse seine - Higher encirclement and mortality rates of common dolphins in sets with pingers
Gillnets - Habituation – dinner bell effect within few months; bycatch/mortality in pingered nets

Project Mar2020 – iNOVPESCA

Reduction of incidental captures of MPS in coastal Algarve fisheries:
Innovation of procedures and mitigation measures (2018-2021)

Results:Harbour questionnaires

Alexandre et al. (in prep.)




Project Mar2020 – iNOVPESCA

Reduction of incidental captures of MPS in coastal Algarve fisheries:
Innovation of procedures and mitigation measures (2018-2021)

Results: Harbour inquiries

Alexandre et al. (in prep.)



- For **bottom set-nets** significant differences in interaction rate (depredation) is **area** and **species** dependent
 - Bottlenose dolphins
 - Leeward with higher interaction rate
- For **purse seine** significant differences in interaction rate (bycatch) is **species** dependent only
 - Common dolphins

ECONOMIC LOSS – Nets; Bottlenoses; ~3 % Windward and ~15 % Leeward

Project Mar2020 – iNOVPESCA


Reduction of incidental captures of MPS in coastal Algarve fisheries:
Innovation of procedures and mitigation measures (2017-2021)

ACTION 3: TEST MITIGATION MEASURES


(Collaboration with the fishing sector)



BOTTOM GNS and GTR; 2019-Present



PURSE SEINING; 2020




Action 3: Test mitigation measures



Methods: Mitigation Bottom set-nets

Marçalo et al. (in prep.)



- **Fishing harbor; vessel size; observer scheme; target fish/meshsize; acoustic device**
 - **Olhão**; 1 vessel > 12m; observer/logbooks; targets **Hake** (GNS 80 mm); Device: DiD
 - **Quarteira**; 1 vessel < 10 m; logbooks; targets **Red-mullet** and **Hake** (GNS 60 mm); Device: DDD
 - **Culatra**; 1 vessel < 9 m; logbooks; targets **Red-mullet** and **Hake** (GNS 55 mm) and **cuttlefish** and **sole** (GTR 120 mm); Device: DDD
- **Treatments**
 - 1 control/no alarms
 - 1 Alarms





Action 3: Test mitigation measures



Results: Mitigation Gillnets

Marçalo et al. (in prep.)

- 17 months testing
- Increased CPUE (double in alarm sets)
- Depredation reduction 60-70 % (Hake, Red mullet); ~100 % (Cuttlefish, sole)
- **Higher profit = Happy fishers**



BYCATCH GNS 220

- ✓ Targets Monkfish
- ✓ Soaking times are 3x other meshes
- ✓ 65 sets/65 trips
- ✓ 2 bycatch events (1 DD/ 1 TT)


Action 3: Test mitigation measures



Results: Mitigation Gillnets

Marçalo et al. (in prep.)

HABITUATION?



- Habituation when favorite prey is targeted
- Diet - Hake (*Merluccius merluccius*) most important prey of bottlenose dolphins in PT mainland waters (Marçalo et al in prep)

Orange arrow pointing from the text 'Diet - Hake (*Merluccius merluccius*)' to the table.

Family	Species	%N	%O	%W	IRI*
Merlucciidae	<i>Merluccius merluccius</i>	15,86	60,47	22,01	2289,96
Congridae	<i>Conger conger</i>	12,55643	58,13953	14,14267	1552,273
Gadidae	<i>Micromesistius poutassou</i>	20,03386	32,55814	9,155599	950,3545
Mugilidae	<i>Liza sp.</i>	3,075621	20,93023	29,0796	673,0162

* IRI = (%N + %W) * %O

Action 3: Test mitigation measures





Methods: Mitigation Purse Seine



- Fishing harbor; observer scheme; target fish

- 4 vessels (Control vs Alarm)
- observer/logbooks; target **Sardine**; Device: DDD




Action 3: Test mitigation measures



Results: Mitigation Purse Seine

Marçalo et al. (in prep.)



- Incidental captures observed in control (no use of alarms) sets only
- Species bycaught 100% *Delphinus delphis*
- Bycatch rate of 0.36 animals/set
- Mortality rate of 0.05 animals/set

FORESEEN WORK 2021...

- **MITIGATION:**

1. Monitor habituation in GNS & GTR; 2. Repeat trials in purse seine; 3. Analyse for seasonal, area, depth effects; 4. Development of a manual of good practices and deliver it to the fishers and associations


- **MSFD EUROPEAN PROJECT – CetAMBICion** (Coordinated Cetacean Assessment, Monitoring and Management Strategy in the Bay of Biscay and Iberian Coast sub-region; March 2021-March 2023)

Partners: Spain, Portugal, France

Goal: Urgent need to reduce of cetacean bycatch in EU fisheries along the Bay of Biscay and Iberia

WP 4: *Proposal of coordinated measures to address cetacean bycatch;* Task 4.3. Pilot mitigation trials: Fixed and seine nets (pingers)





FUNDACIÓN
cei·mar
campus de excelencia internacional del mar


CCMAR
Centro de Ciências do Mar

UAlg
UNIVERSIDADE DO ALGARVE



iNOVAPESCA
MITIGAÇÃO DE INTERAÇÕES PESCA-CETÁCEOS

mar
2020
PROGRAMA OPERACIONAL MAR 2020



THANK YOU
OBRIGADA

ACKNOWLEDGEMENTS

- ✓ Fishers
- ✓ Coastal Fisheries Research Group
- ✓ Fishers associations: Associação de Moradores da Ilha da Culatra; OlhãoPesca; QuarPesca; Barlapescas

